

# Delock KVM 4 in 1 Multiview Switch 4 x HDMI with USB 2.0

## Description

This KVM switch by Delock is a convenient solution for connecting **four computers** with HDMI output **to one HDMI monitor**. Furthermore, four **USB 2.0** Type-A ports can be used to connect a mouse, keyboard, printer or USB drive.

### 4 in 1 Multiview Mode

In Multiview Mode, **all 4 PCs are displayed on one monitor simultaneously**. Operating the keyboard and mouse is possible without switching. When the **mouse** is moved over one of the desktops, it is **activated for input**. Alternatively, the Sync Mode can be turned on, where all connected PCs receive the same signals from the input devices.

### Flexible Control

The active computer can be selected by mouse button, keyboard hotkey, button on the device or infrared remote control.

## Note

KVMs emulate a standard wired 104 key keyboard and wired generic 2 or 3 button scroll wheel mouse on their respective console ports. Whether or not a wireless or gaming mouse and keyboard work with KVM switches depends on several factors; in general, most wireless mice and keyboards do not support working with KVM switches. We recommend to use a standard wired mouse and keyboard with our KVM switches.



**Item no. 11488**

EAN: 4043619114887

Country of origin: China

Package: White Box

## Technical details

- Connectors:

Input:

4 x HDMI-A female

4 x USB 2.0 Type-B female

1 x 12 V DC jack

**Output:**

- 1 x HDMI-A female
- 4 x USB 2.0 Type-A female
- 2 switch buttons with LED indicator for source (PC1 - PC4) and audio
- Switching via button, mouse button, hotkey or infrared remote control
- High Speed HDMI specification
- Supports HDCP 1.2
- Resolution (HDMI input) up to 1920 x 1080 @ 60 Hz  
(depending on the system and the connected hardware)
- Resolution (HDMI output) 1280 x 720 or 1920 x 1080 @ 50 or 60 Hz
- Video bandwidth up to 225 MHz / 2.25 Gbps
- USB 2.0 up to 480 Mbps
- Robust metal housing
- Colour: black
- Dimensions (LxWxH): ca. 210 x 160 x 44 mm

---

## Power supply specification

- Wall power supply
- Input: AC 100 ~ 240 V / 50 ~ 60 Hz / 0.8 A
- Output: 12.0 V / 2.0 A
- Ground outside, plus inside
- Dimensions:
  - inside:  $\varnothing$  ca. 2.1 mm
  - outside:  $\varnothing$  ca. 5.5 mm
  - length: ca. 10 mm

---

## System requirements

- PC with HDMI female + USB Type-A female
- Monitor or TV with HDMI connector

---

## Package content

- KVM switch
- Remote control
- External power supply
- Mounting brackets and screws
- User manual

## Images



## General

Specification:	High Speed HDMI USB 2.0
----------------	----------------------------

## Interface

Output:	1 x HDMI-A female 4 x USB 2.0 Type-A female
Input:	1 x DC 5.5 x 2.1 mm female 4 x USB 2.0 Type-B female 4 x HDMI-A female

## Technical characteristics

Data transfer rate:	USB 2.0 up to 480 Mb/s
Maximum screen resolution:	1920 x 1080 @ 60 Hz

## Physical characteristics

Housing colour:	black
Housing material:	metal
Length:	210 mm
Width:	160 mm
Height:	44 mm