

# Delock LTE Antenna SMA plug 9 - 11 dB directional with connection cable (RG-58, 5 m) white outdoor

### **Description**

This LTE antenna by Delock allows the usage of different LTE bands inside and outside. It is completely compatible to GSM, UMTS, Bluetooth, WLAN 2.4 GHz, ZigBee, DECT and Z-Wave.



Item no. 12002

EAN: 4043619120024 Country of origin: China

Package: Box

#### **Technical details**

Connector: 1 x SMA plug

• LTE band: 1 - 4; 7; 9; 10; 15; 16; 20; 23; 25; 27; 30; 33 - 41

• Frequency range: 698 - 960 MHz, 1710 - 2700 MHz

• GSM, UMTS, Bluetooth, WLAN 2.4 GHz, ZigBee, DECT, Z-Wave

• Antenna gain: 9 - 11 dBi

· Polarisation: vertical

Horizontal beam angle: 70°

Vertical beam angle: 55°

• Impedance: 50 Ohm

• VSWR: 1.5

• Operating temperature: -40 °C ~ 60 °C

• Housing material: ABS UV resistant

· Colour: white

Dimensions (LxWxH): ca. 450 x 210 x 65 mm

Cable type: coaxialCable type: RG-58Cable colour: black

• Cable attenuation: 0.5 dB @ 800 MHz per meter

• Cable diameter: ca. 5 mm



• Cable length incl. connectors: ca. 5 m

## System requirements


• Device with a free SMA jack

# Package content

- LTE antenna
- Pole mounting kit



## **Images**







#### General

Mounting type:	pole
Protection category:	IP55
Suitable for indoor:	yes
Suitable for outdoor:	yes

#### Interface

		1 x SMA plug	connector:
--	--	--------------	------------

## **Technical characteristics**

Frequency range:	1710 - 2700 MHz 698 MHz - 960 MHz
Antenna gain:	7 - 9 dBi
Beam width horizontal:	70°
Beam width vertical:	55°
Impedance:	50 Ω
Operating temperature:	-40 °C ~ 60 °C
Polarisation:	vertical
Power handling:	50 W
VSWR:	2.0

# **Physical characteristics**

Antenna type:	directional
Weight:	1,2 kg
Cable category:	coaxial
Cable type:	RG-58
Cable attenuation:	0.5 dB @ 800 MHz per meter
Cable colour:	black





Cable length:	5 m (incl. connectors)
Length:	45.0 cm
Width:	21.0 cm
Height:	6.5 cm
Colour:	white