

# Delock LTE Antenna TS-9 plug 90° 2 - 3 dBi fixed omnidirectional with magnetic base and connection cable RG-174 50 cm outdoor black

### **Description**

This antenna by Delock allows the usage of different LTE bands indoors and outdoors. It is completely compatible to GSM, UMTS, LTE, ZigBee, DECT, Z-Wave, NB-IoT, WLAN, Bluetooth, ISM, DECT, TETRA and LoRa.



#### Item no. 12480

EAN: 4043619124800 Country of origin: China Package: Zip poly bag

#### **Technical details**

• Connector: 1 x TS-9 plug 90°

· Frequency range: 690 - 960 MHz 1710 - 2700 MHz

• GSM, UMTS, LTE, ZigBee, DECT, Z-Wave, NB-IoT, WLAN, Bluetooth, ISM, DECT, LoRa

• Antenna gain: 2 - 3 dBi • Impedance: 50 Ohm

· Polarisation: linear, vertical

VSWR: 2.0

• Operating temperature: -10 °C ~ 55 °C

· Colour: black · Cable: coaxial

• Cable type: RG-174

• Cable colour: black

• Cable attenuation: 1.5 dB @ 1.5 GHz per meter

• Cable diameter: ca. 2.7 mm

• Cable length incl. connector: ca. 50 cm





- Dimensions (LxD): ca. 265 x 10 mm
- Diameter magnetic base: ca. 30.0 mm


# **System requirements**

• Device with one free TS-9 port

## **Package content**

• Antenna

### **Images**







#### **Interface**

Connector 1: 1 x TS-9 plug

### **Technical characteristics**

Frequency range: 1710 - 2700 MHz 690 - 960 MHz Antenna gain: 2 - 3 dBi Impedance:  $50 \Omega$  Operating temperature:  $-10 \text{ °C} \sim 55 \text{ °C}$  Polarisation: Iinear vertical VSWR: 2.0

### **Physical characteristics**

Antenna length incl. magnetic 23.60 cm base: Diameter magnetical base: 3.0 cm Height magnetical base: 2.8 cm Cable category: coaxial Cable type: **RG-174** 1.5 dB @ 1.5 GHz per meter RG-174 Cable attenuation: Cable colour: black Cable length: 50 cm