


Delock TETRA 430 - 470 MHz Antenna I-PEX Inc., MHF® I plug 0 dBi 1.13 15 cm black self adhesive

Description

This antenna by Delock allows the usage of the TETRA 430 - 470 MHz band indoors.



Item no. 12539

EAN: 4043619125395

Country of origin: Taiwan,
Republic of China

Package: Zip poly bag

Technical details

- Connector: 1 x I-PEX Inc., MHF® I plug
- Frequency range: 430 - 470 MHz
- ISM, TETRA
- Antenna gain: 0 dBi
- Impedance: 50 Ohm
- VSWR: 4.0
- Polarisation: linear, vertical
- Mounting type: self adhesive
- Operating temperature: -10 °C ~ 55 °C
- Housing material: FPC
- Colour: black
- Cable: coaxial
- Cable type: 1.13
- Cable colour: black
- Cable diameter: ca. 1.13 mm
- Cable attenuation: 2.5 dB @ 2400 MHz per meter
- Smallest bending radius: 4.5 mm
- Length incl. connectors (L): ca. 15 cm

- Dimensions (LxW): ca. 67.5 x 20 mm


System requirements

- Device with one free I-PEX Inc., MHF® I port

Package content

- Antenna

Images



General

Mounting type:	Self adhesive
Suitable for indoor:	yes
Suitable for outdoor:	no

Interface

connector:	1 x I-PEX Inc., MHF® I plug
------------	-----------------------------

Technical characteristics

Frequency range:	430 - 470 MHz
Antenna gain:	0 dBi
Impedance:	50 Ω
Operating temperature:	-10 °C ~ 55 °C
Polarisation:	linear vertical
VSWR:	4.0

Physical characteristics

Housing material:	FPC
Cable category:	coaxial
Cable type:	1.13
Cable attenuation:	2,5 dB @ 2400 MHz pro Meter
Cable colour:	black
Cable length incl. connector:	15 cm
Length:	67.5 mm
Width:	20 mm
Smallest bending radius:	4.5 mm
Colour:	black