

Delock External Enclosure for 2.5" SATA HDD / SSD with USB Type-C™ female transparent - tool free

Description

This plastic enclosure by Delock can be used for the installation of a **2.5" SATA hard drive or SSD**. Despite the slim design, hard disks up to a **height of 9.5 mm** can be installed. The included USB Type-C™ to USB Type-A cable allows the connection to a free USB Type-A female port.



Transparent enclosure with stand

The **sturdy, transparent plastic housing** provides a view inside to quickly see which memory is inside. A stand is supplied for vertical operation.

Item no. 42621

EAN: 4043619426218

Country of origin: China

Package: Retail Box

HDD / SSD installation without tools

The special feature of this enclosure is that **no tools** are required to install the HDD. The lid can be pushed backwards by a little pressure, the HDD will be attached to the SATA port and then the lid is reattached until it locks.

Technical details

- Connectors:
 - external:
 - 1 x SuperSpeed USB 10 Gbps (USB 3.2 Gen 2) USB Type-C™ female
 - internal:
 - 1 x SATA 6 Gb/s 22 pin receptacle
- Suitable for 2.5" SATA HDD / SSD:
 - HDD height up to 9.5 mm
 - SATA HDD / SSD up to 6 Gb/s
 - supports 5 V HDD / SSD
 - HDD / SSD up to 4 TB
- Chipset: VIA VL716
- Data transfer rate:
 - SuperSpeed USB 10 Gbps,
 - SuperSpeed USB 5 Gbps,
 - Hi-Speed 480 Mbps,

- Full-Speed 12 Mbps,
Low-Speed 1.5 Mbps
- LED indicator for power and access
- Transparent plastic housing
- Dimensions (LxWxH): ca. 125 x 79 x 13 mm
- Hot Swap, Plug & Play

System requirements

- Chrome OS 74.0 or above
- Linux Kernel 3.3 or above
- Mac OS 10.14.5 or above
- Windows 7/7-64/8.1/8.1-64/10/10-64
- PC or laptop with a free USB Type-A port

Package content

- 2.5" external enclosure
- Cable USB-C™ male to USB Type-A male, length ca. 50 cm
- Stand
- User manual

Images



General

| | |
|-----------------------------|---|
| Function: | Hot Swap Plug & Play |
| Suitable for data medium: | 2.5" SSD or HDD height up to 9.5 mm |
| Supported operating system: | Chrome OS 74.0 or above Linux Kernel 3.3 or above Mac OS 10.14.5 or above Windows 10 32-Bit Windows 10 64-Bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit |

Interface

| | |
|-----------|------------------------------------|
| External: | 1 x USB 10 Gbps USB Type-C™ female |
| Internal: | 1 x SATA 6 Gb/s 22 pin receptacle |

Technical characteristics

| | |
|----------|-----------|
| Chipset: | VIA VL716 |
|----------|-----------|

Physical characteristics

| | |
|-------------------|-------------|
| Housing material: | Plastic |
| Cable length: | 50 cm |
| Length: | 125 mm |
| Width: | 79 mm |
| Height: | 13 mm |
| Colour: | transparent |