

# Delock Adapter USB 2.0 Type-A > 1 x Serial DB9 RS-232

### **Description**

This adapter by Delock enables the connection of a serial device via a USB Type-A port.



#### Item no. 61856

EAN: 4043619618569 Country of origin: China Package: Retail Box

#### **Technical details**

- Connectors:
  - 1 x USB 2.0 Type-A male >
  - 1 x serial RS-232 DB9 male with screws
- Chipset: Prolific PL2303RA
- Signals: TxD, RxD, RTS, CTS, DTR, DSR, DCD, RI, GND
- Data transfer rate up to 128 Kbps
- Cable length: ca. 1.5 m

## **System requirements**

- Linux Kernel 2.6 or above
- Windows Vista/7/7-64/8.1/8.1-64/10/10-64
- PC or laptop with a free USB Type-A port

## Package content




- USB 2.0 to 1 x serial adapter
- Driver CD
- User manual

## **Images**









### General

Function:	Plug & Play
Specification:	RS-232 (EIA / TIA) USB 2.0

## Interface

Connector 1:	1 x USB 2.0 Type-A male
Connector 2:	1 x Serial RS-232 DB9 male

## **Technical characteristics**

Chipset:	Prolific PL2303RA
Data transfer rate:	up to 115,2 Kb/s
FIFO:	512 Byte
Data transmission:	asynchronous full duplex
UART:	USB to serial UART

## **Physical characteristics**

Cable length incl. connector:	1.5 m
Pin finishing:	gold-plated
Screw type:	#4-40 UNC
Shielding:	double
Colour:	transparent black