# Delock 3.5″ Front Panel > 2 x USB 3.0 + HD-Audio

## Description

This front panel by Delock can be installed into a free 3.5″ bay of a computer. It has two USB 3.0 and two HD-Audio ports. The connecting cables will be connected internally to the motherboard.

### Item no. 62700

EAN: 4043619627004

Country of origin: China

Package: Retail Box

## Technical details

- Connector:
  external:
  2 x USB 3.0 Type-A female
  1 x 3.5 mm 3 pin stereo jack female microphone (HD-Audio)
  1 x 3.5 mm 3 pin stereo jack female headset (HD-Audio)
  internal:
  1 x 19 pin USB 3.0 pin header female port on the cable
  1 x 9 pin HD-Audio pin header male
- Data transfer rate up to:
  SuperSpeed 5 Gbps,
  Hi-Speed 480 Mbps,
  Full-Speed 12 Mbps,
  Low-Speed 1.5 Mbps
- Cable data:
  1 x 19 pin USB 3.0 pin header female cable ca. 60 cm (incl. connector)
  1 x 9 pin HD-Audio pin header female cable ca. 62 cm (incl. connector)
- 3.5″ metal frame
- Colour: black
- Hot Swap, Plug & Play
- OS independent, no driver installation necessary

## System requirements

- PC with one free 3.5″ bay
- Mainboard with a free 19 pin USB 3.0 pin header male
- Mainboard with a free 9 pin HD-Audio pin header male

## Package content

- 3.5″ front panel
- HD-Audio pin header female cable
- Screws
- User manual

## Images

## General

| | |
|---|---|
| Form factor: | 3.5" |
| Function: | Hot Swap<br>Plug & Play |
| Supported operating system: | OS independent, no driver installation necessary |

## Interface

| | |
|---|---|
| External: | 1 x 3.5 mm 3 pin stereo jack female microphone (HD-Audio)<br>1 x 3.5 mm 3 pin stereo jack female headset (HD-Audio)<br>2 x USB 5 Gbps Type-A female |
| Internal: | 1 x 19 pin USB 5 Gbps pin header female<br>1 x 9 pin HD-Audio pin header male |

## Technical characteristics

| | |
|---|---|
| Data transfer rate: | 5 Gbps |

## Physical characteristics

| | |
|---|---|
| Housing material: | metal |
| Colour: | black |

© 2024 by Delock. All names and symbols mentioned here are property of the respective producer.
Printing errors, changes and errors excepted.

www.delock.de
62700

3 / 3
24.05.2019