


# Delock Converter SATA 22 pin / SFF-8643 NVMe > 1 x M.2 Key M

## Description

This Delock converter enables the connection of a M.2 SSD in 2280, 2260, 2242 and 2230 format. It allows the possibility to connect a PCIe or SATA M.2 SSD. The converter can be installed into your system internally through the SATA 22 pin interface while using a SATA M.2 SSD, or via the SFF-8643 interface while using a PCIe M.2 SSD.



**Item no. 62703**

EAN: 4043619627035

Country of origin: Taiwan,  
Republic of China

Package: Box

## Technical details

- Connectors:
  - 1 x SATA 6 Gb/s 22 pin plug (for SATA SSDs)
  - 1 x 36 pin SFF-8643 female (for PCIe SSDs 2 or 4 lanes)
  - 1 x 67 pin M.2 key M slot
- Interface: SATA / PCIe (2 or 4 lanes)
- Supports M.2 modules in format 2280, 2260, 2242 and 2230 with key M or key B+M based on PCIe or SATA
- Maximum height of the components on the module: 1.5 mm, application of double-sided assembled modules supported
- LEDs for power and activity
- Supports NVM Express (NVMe)
- Maximum output current: 4 A
- Over current protection, over heating protection
- Dimensions (LxWxH): ca. 145 x 50 x 16 mm

## System requirements

- Linux Kernel 3.16 or above
- Windows 7/7-64/8.1/8.1-64/10/10-64/11
- A free SATA 22 pin interface (SATA SSD)
- A free SFF-8643 interface (PCIe SSD)


---

## Package content

- Converter
- 1 x fixing screw for M.2 module
- User manual

---

## Images



## General

Supported operating system:	Linux Kernel 3.16 or above Windows 10 32-Bit Windows 10 64-Bit Windows 7 32-Bit Windows 7 64-Bit Windows 8 32-bit Windows 8 64-bit Windows 8.1 32-Bit Windows 8.1 64-Bit
LED indicator:	power and activity
Supported module:	M.2 modules in format 2280, 2260, 2242 and 2230 with key M or key B+M based on SATA or PCIe
Maximum height of the components on the module:	1.5 mm application of double-sided assembled modules supported

## Interface

Connector 1:	1 x M.2 NGFF
Connector 2:	1 x 36 pin SFF-8643 female
connector 3:	1 x SATA 6 Gb/s 22 pin receptacle

## Physical characteristics

Length:	145 mm
Width:	50 mm
Height:	16 mm