

Delock Adapter VGA male > VGA female EDID Emulator

Description

This adapter by Delock emulates a monitor so that the signal source does not switch off the signal or change the resolution, even without a connected monitor. The adapter contains a standard set of EDID/DDC data, but it can also read and save the data of a connected monitor.



Item no. 63326

EAN: 4043619633265

Country of origin: China

Package: Retail Box

Technical details

- Connectors:
Input:
1 x VGA 15 pin male with screws >
Output:
1 x VGA 15 pin female with nuts
1 x 5 V DC jack 1.35 x 3.5 mm
- Resolution up to 2560 x 1600 @ 60 Hz (depending on the system and the connected hardware)
- DC jack for optional power supply
- 1 x LED indicator
- Plastic housing
- Colour: black
- Dimensions incl. connector (LxWxH): ca. 62 x 34 x 15 mm

Package content

- EDID emulator

- USB power cable
- User manual

Images



Interface

Output:	1 x VGA 15 pin female
Input:	1 x VGA 15 pin male

Technical characteristics

Maximum screen resolution:	2560 x 1600 @ 60 Hz
----------------------------	---------------------

Physical characteristics

Housing colour:	black
Housing material:	Plastic
Length:	62 mm
Width:	34 mm
Height:	15 mm