

Delock Converter USB 2.0 Type-A male > M.2 Key B with SIM slot

Description

This converter by Delock enables the connection of an M.2 module, e.g. GSM, GPRS, 3G, WLAN or LTE, in 2242 or 3042 format. The converter can be installed into the system through the USB interface. Further there is the possibility to insert a SIM card in the slot and use with an appropriate M.2 module.



Item no. 63446

EAN: 4043619634460 Country of origin: China Package: Retail Box

Technical details

- Connectors:
 1 x USB 2.0 Type-A male
 - 1 x 67 pin M.2 key B slot
 - 1 x SIM slot
- Interface: USB
- Supports M.2 modules in format 2242 and 3042 with key B or key B+M based on USB
- Maximum height of the components on the module: 1.5 mm, application of double-sided assembled modules supported
- Dimensions (LxWxH): ca. 80 x 31 x 6 mm
- Hot Swap, Plug & Play
- USB bus powered
- OS independent, no driver installation necessary

System requirements

• A free USB Type-A port

DATASHEET



Package content

- Converter
- · Mounting material
- Screwdriver
- User manual

Images





General

Function:	Hot Swap Plug & Play
Supported operating system:	OS independent, no driver installation necessary
Slot:	USB
Supported module:	M.2 modules in format 2242 and 3042 with key B or key B+M based on USB $% \left({{\rm USB}} \right) = 0.0175$
Maximum height of the components on the module:	1.5 mm application of double-sided assembled modules supported

Interface

Connector 1:	1 x USB 2.0 Type-A male
Connector 2:	1 x 67 pin M.2 key B slot
connector 3:	1 x SIM slot

Technical characteristics

Voltage:

Physical characteristics

Length:	80 mm
Width:	31 mm
Height:	6 mm