

Delock USB Condenser Microphone with Table Stand - ideal for gaming, Skype and vocals

Description

This professional USB microphone by Delock can be used for high-quality speech and voice transmissions. The microphone has a circle pattern (omnidirectional) and therefore captures the acoustic signal ideally. Thanks to a high performance and low self-noise, even the finest sounds are optimally recorded and can be reproduced precisely. The table stand can be folded and transported easily if required.



Item no. 65939

EAN: 4043619659395

Country of origin: China

Package: Retail Box

Technical details

- Connector: 1 x USB 2.0 Type-A male
- Directivity: omnidirectional
- Sensitivity: -38 dB +/- 3 dB
- Frequency range: 50 Hz - 16 kHz
- Sample rate: 16 Bit / 44.1 kHz
- Signal-to-noise ratio (SNR): ca. 36 dB
- Impedance: 2.2 kOhm
- Cable length: ca. 1.35 m
- Dimensions (LxWxH): ca. 150 x 55 x 30 mm
- USB bus powered
- Plug & Play

System requirements



- Chrome OS
- Linux Kernel 2.6 or above
- Mac OS 10.9 or above

- Windows 7/7-64/8.1/8.1-64/10/10-64
- PC or laptop with a free USB Type-A port

Package content

- USB microphone
- Table stand
- User manual

Images



General

| | |
|-----------------------------|--|
| Function: | Plug & Play |
| Supported operating system: | Chrome OS Linux Kernel 2.6 or above Mac OS 10.9 or above Windows 10 32-Bit Windows 10 64-Bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit |

Interface

| | |
|------------|-------------------------|
| connector: | 1 x USB 2.0 Type-A male |
|------------|-------------------------|

Technical characteristics

| | |
|---------------------------|-------------------|
| Frequency range: | 50 Hz - 16 kHz |
| Impedance: | 2.2 kOhm |
| Voltage: | USB bus powered |
| Sensibility: | -38 dB +/- 3 dB |
| Sample rate: | 16 Bit / 44.1 kHz |
| Signal noise ratio (SNR): | ca. 36 dB |
| Directivity: | omnidirectional |

Physical characteristics

| | |
|---------------|--------|
| Cable length: | 1.35 m |
| Length: | 150 mm |
| Width: | 55 mm |
| Height: | 30 mm |
| Colour: | black |