

Delock Thunderbolt™ 2 cable 0.5 m white

Description

This Thunderbolt™ 2 cable by Delock is used to connect various devices, such as external hard drives, docking stations or monitors, to a PC or laptop with Thunderbolt™ port.


The Thunderbolt™ 2 technology, based on PCI Express and DisplayPort, supports data transfer rates of up to 20 Gbps.

Compatible to mini DisplayPort

The cable is compatible with mini DisplayPort and can therefore also be used to connect a monitor to a computer.

Daisy Chain (cascadable)

Up to six Thunderbolt™ or Thunderbolt™ 2 devices can be connected in series.



Item no. 83165

EAN: 4043619831654

Country of origin: Taiwan,
Republic of China

Package: Retail Box

Technical details

- Connectors:
 - 1 x Thunderbolt™ 2 20 pin male >
 - 1 x Thunderbolt™ 2 20 pin male
- Thunderbolt™ 2 specification
- Downwards compatible to Thunderbolt™
- Chipset: Intel
- Cable gauge: 34 AWG
- Cable diameter: ca. 4.2 mm
- Copper cable
- Contacts gold-plated
- Data transfer rate up to 20 Gbps
- Based on PCI Express and DisplayPort
- Compatible to mini DisplayPort (no PCIe support)
- Daisy Chain up to 6 Thunderbolt™ devices (cascadable)
- Dual channel, bi-directional data transfer
- Power delivery for bus powered Thunderbolt™ devices
- Colour: white
- Length incl. connectors: ca. 0.5 m


System requirements

- A free Thunderbolt™ 2 interface
-

Package content

- Thunderbolt™ cable
-

Images



General

Specification:	DisplayPort 1.2 Thunderbolt™ 2
----------------	-----------------------------------

Interface

Connector 1:	1 x Thunderbolt™ 2 20 pin male
Connector 2:	1 x Thunderbolt™ 2 20 pin male

Technical characteristics

Chipset:	Intel
Data transfer rate:	20 Gbps

Physical characteristics

Pin finishing:	gold-plated
Conductor material:	copper
Conductor gauge:	34 AWG
Length:	50 cm
Colour:	white