


# Delock Cable Mini SAS HD SFF-8643 > 4 x SATA 7 pin Reverse + Sideband 0.5 m

## Description

This reverse breakout cable by Delock can be used to connect internal SAS devices, e.g. an HDD backplane with Mini SAS HD connector to a controller with 4 SATA ports. The metal clips on the SATA connectors provide a snap-in connection.



0.5 m

## Note

- It is not possible to use SAS hard disks with a SATA controller.
- To connect a SAS controller with SFF-8643 to 4 SATA hard disks, you can use Delock item 83392 (forward breakout).

**Item no. 83320**

EAN: 4043619833207

Country of origin: Taiwan, Republic of China

Package: Zip poly bag

## Technical details

- Connector:
  - host: 4 x SATA 7 pin >
  - device:
    - 1 x Mini SAS HD SFF-8643 male
    - 1 x 8 pin sideband pin header female
- Pin assignment: reverse breakout
- 12 Gbps Serial Attached SCSI (SAS) specification
- Length incl. connector: ca. 0.5 m

## System requirements

- A free Mini SAS or SATA interface

## Package content

- Mini SAS cable

## General

Specification:	SAS
----------------	-----

## Interface

Connector 1:	1 x Mini SAS HD SFF-8643 male
Connector 2:	1 x 8 pin sideband 4 x SATA 6 Gb/s 7 Pin

## Technical characteristics

Data transfer rate:	SAS bis zu 12 Gb/s
---------------------	--------------------

## Physical characteristics

Length:	50 cm
---------	-------