


Delock Cable DisplayPort 1.2 male > DisplayPort male 4K 60 Hz 1.5 m

Description

This DisplayPort cable by Delock can be used to connect devices with DisplayPort interface, e.g. displays, projectors or TVs, to a PC or laptop. The triple shielded cable supports a resolution of up to Ultra HD (4K @ 60 Hz) and is downwards compatible to Full-HD 1080p.



Item no. 85509

EAN: 4043619855094

Country of origin: China

Package: Poly bag

Technical details

- Connectors:
 - 1 x DisplayPort 20 pin male >
 - 1 x DisplayPort 20 pin male
- DisplayPort 1.2 specification
- Pin 20 not connected
- Cable gauge: 28 AWG
- Cable diameter: ca. 7.3 mm
- Copper conductor
- Triple shielded cable
- Gold-plated connectors
- Transfer of audio and video signals
- Data transfer rate up to 21.6 Gb/s
- Resolution up to 3840 x 2160 @ 60 Hz
(depending on the system and the connected hardware)
- Colour: white
- Length incl. connectors: ca. 1.5 m

System requirements

- A free DisplayPort interface
-

Package content

- DisplayPort cable
-

Images



General

| | |
|----------------|------------------|
| Specification: | DisplayPort 1.2a |
|----------------|------------------|

Interface

| | |
|--------------|----------------------|
| Connector 1: | 1 x DisplayPort male |
| Connector 2: | 1 x DisplayPort male |

Technical characteristics

| | |
|----------------------------|---------------------|
| Data transfer rate: | 21,6 Gb/s |
| Maximum screen resolution: | 3840 x 2160 @ 60 Hz |

Physical characteristics

| | |
|----------------------|---------------|
| Housing material: | PVC |
| Connector finishing: | nickel-plated |
| Pin finishing: | gold-plated |
| Conductor material: | copper |
| Conductor gauge: | 28 AWG |
| Shielding: | triple |
| Length: | 1.5 m |
| Colour: | white |