





### **Description**

This cable by Delock allows the connection of an HDMI monitor or projector to a PC or laptop with DisplayPort interface.

It supports a resolution of up to Ultra HD (4K) and is backwards compatible to Full-HD 1080p.



The cable offers an active conversion, thus it is also suitable for graphics cards that are not capable of outputting DP++ signals.

#### Fixed signal direction

The cable can only be used to connect an HDMI output device to a DisplayPort source, such as an HDMI monitor to a PC with a DisplayPort connector. Reverse signal direction is not supported.



### Item no. 85930

EAN: 4043619859306 Country of origin: China Package: Retail Box

#### Technical details

- · Connectors:
  - 1 x DisplayPort male >
  - 1 x HDMI-A male
- Chipset: Parade PS186
- DisplayPort 1.4 and High Speed HDMI specification
- Active cable, for graphics cards with DP and DP++ output
- Signal direction: DisplayPort input > HDMI output
- · Cable gauge:
  - 32 AWG data line
  - 28 AWG power line
- Cable diameter: ca. 5 mm
- Connectors: gold-plated
- Metal housing
- · Transmission of audio and video signals
- Data transfer rate up to 18 Gbps
- Resolution up to 3840 x 2160 @ 60 Hz (depending on the system and the connected hardware)
- Supports HDR





- Supports HDCP 1.4 and 2.3
- Colour: grey / black
- Length without connectors: ca. 3 m

## **System requirements**

• A free DisplayPort female

## **Package content**

• DisplayPort to HDMI cable

## **Images**







### General

Specification:	High Speed HDMI
	DisplayPort 1.4
	HDR

## Interface

Connector 1:	1 x DisplayPort male
Connector 2:	1 x HDMI-A male

# **Technical characteristics**

Chipset:	Parade PS186
Data transfer rate:	up to 18 Gb/s
Maximum screen resolution:	3840 x 2160 @ 60 Hz

# **Physical characteristics**

Pin finishing:	gold-plated
Conductor gauge:	32 AWG data line 28 AWG power line
Length:	3 m
Colour:	grey / black