

# Delock Flat Ribbon Cable 64 pin for self-assembly 1 m

## Description

This flat cable by Delock allows cable assembly with existing connectors for flat cables. The cable has 64 individual strands and can be used e.g. in test environments or in hobby applications.



64 Pin / 1 m

**Item no. 86770**

EAN: 4043619867707

Country of origin: China

Package: Poly bag

## Technical details

- Flat cable
- Pitch: 1.27 mm
- Suitable for connectors with 2.54 mm pitch
- Copper conductor
- Cable gauge: 28 AWG
- Cable jacket material: PVC
- Voltage: max. 300 V
- Fire-resistance rating: VW-1
- Operating temperature: 0 °C ~ 105 °C
- Colour: grey
- Thickness: ca. 0.9 mm
- Width: ca. 82 mm
- Length: ca. 1 m

## System requirements

- Connectors for self-assembly


---

## Package content

- Flat cable

---

## Images



### Technical characteristics

Operating temperature:	0 °C ~ 105 °C
Voltage:	300 V

### Physical characteristics

Pitch distance:	1.27 mm
Housing material:	PVC
Cable category:	Flat cable
Conductor material:	copper
Conductor gauge:	28 AWG
Length:	1 m
Width:	82 mm
Colour:	grey