

Delock USB Type-C™ 3.1 Docking Station HDMI + DP + VGA 1080p, USB Hub and USB PD function

Description

This docking station by Delock can be connected to a computer with a USB-C™ Alt-Mode or Thunderbolt™ 3 port and provides a variety of interfaces. Three monitors can be operated simultaneously at the DisplayPort, HDMI and VGA outputs, the same image is displayed on all ports. Two built-in USB Type-A ports and one USB Type-C™ port allows the use of peripherals. With a USB-C™ power supply, laptops such as the Macbook or Chromebook can be charged during operation.

[Delock USB Type-C™ 3.1 Docking Station \(Video\)](#)



Item no. 87722

EAN: 4043619877225

Country of origin: China

Package: Retail Box

Technical details

- Connectors:
 - 1 x HDMI-A 19 pin female
 - 1 x DisplayPort 20 pin female
 - 1 x VGA 15 pin female
 - 1 x USB Type-C™ PD female (power supply)
 - 1 x USB Type-C™ female (data transfer)
 - 1 x USB Type-C™ female (connection to host)
 - 2 x USB 3.0 Type-A female
- Chipset: VL101R, VL170, VL813, CH7039
- Resolution up to 1080p @ 60 Hz
(depending on the system and the connected hardware)
- Transmission of audio and video signals
- Setting: extended, mirrored, primary display
- Output power: 4.5 W per port
- Input power: 1 x USB Type-C™ female max. 60 W
- Colour: black
- Dimensions (LxWxH): ca. 127 x 63 x 14 mm

System requirements

- Android 6.0 or above
- Mac OS 10.12 or above
- Windows 8.1/8.1-64/10/10-64
- Windows 10 Mobile
- Device with a free USB Type-C™ port and DisplayPort alternate mode or with a free Thunderbolt™ 3 port

Package content

- USB-C™ docking station
- Cable USB-C™ male to USB-C™ male, length ca. 10 cm
- User manual

Images



General

Specification:	DisplayPort 1.1 High Speed HDMI
Supported operating system:	Android 6.0 or above Mac OS 10.12 or above Windows 10 32-Bit Windows 10 64-Bit Windows 10 Mobile Windows 8.1 32-Bit Windows 8.1 64-Bit

Interface

Output:	1 x DisplayPort female 1 x HDMI-A female 1 x VGA 15 pin female 1 x USB Type-C™ female (data transfer) 2 x USB 5 Gbps Type-A female
Input:	1 x USB Type-C™ female (power supply) 1 x USB Type-C™ male

Technical characteristics

Maximum screen resolution:	1920 x 1080 @ 60 Hz
Signal transmission:	video audio
Voltage:	USB bus powered 1 x USB Type-C™ Power Delivery female (optional for power supply)

Physical characteristics

Cable length incl. connector:	10 cm
Colour:	grey / black