


# Delock WLAN 802.11 ac/a/b/g/n Antenna RP-SMA 2 dBi omnidirectional fixed waterproof

## Description

This wireless LAN antenna by Delock can be connected to a device with RP-SMA interface, in order to send and receive signals.

Bluetooth



RP-SMA

**Item no. 88397**

EAN: 4043619883974

Country of origin: Taiwan,  
Republic of China

Package: Zip poly bag

## Technical details

- Connector: RP-SMA plug
- Frequency range:  
2.4000 - 2.4835 GHz  
5.1500 - 5.8250 GHz
- Antenna gain: 2 dBi
- Impedance: 50 Ohm
- Polarisation: vertical
- VSWR: 2
- Operating temperature: -20 °C ~ 65 °C
- Colour: black
- Antenna length: 17,8 cm
- Antenna diameter:  
6.0 mm (top)  
13.0 mm (body)  
12.5 mm (RP-SMA)

## System requirements

- Device with a free RP-SMA jack


---

## Package content

- WLAN antenna

---

## Images



## Interface

connector:	1 x RP-SMA plug
------------	-----------------

## Technical characteristics

Frequency range:	2.4000 GHz - 2.4835 GHz 5.1000 - 5.8250 GHz
Antenna gain:	2 dBi
Operating temperature:	-20 °C ~ 65 °C
Polarisation:	linear vertical
VSWR:	2.0

## Physical characteristics

Antenna type:	omnidirectional
Housing material:	TPEE
Diameter:	13.0 mm
Length:	17.8 cm
Diameter connector:	12.5 mm
Colour:	black