

Delock WLAN 802.11 ac/a/b/g/n Antenna N plug 4.5 - 7.0 dBi 22 cm omnidirectional fixed outdoor white

Description

This Wireless LAN antenna can be connected to a WLAN device with N interface, in order to send and receive signals.



EAN: 4043619888221 Country of origin: Taiwan, Republic of China Package: Retail Box

Technical details

- Connector: N plug
- Frequency range: 2.400 - 2.500 GHz
 5.150 - 5.875 GHz
- Antenna gain:
 4.5 dBi @ 2.400 2.500 GHz
 7.0 dBi @ 5.150 5.875 GHz
- Impedance: 50 Ohm
- Polarisation: linear, vertical
- VSWR: 2.0
- Operating temperature: -10 °C ~ 55 °C
- Housing material: GFRP UV resistant
- Length: ca. 220 mm
- Diameter: ca. 21.00 mm (top)
 - ca. 21.00 mm (N)
- Maximum Transmission power: 2 W
- Maximum wind speed: 216 km/h

DATASHEET

we move the world

Splash proof


System requirements

• Device with a free N jack

Package content

• WLAN antenna

Images





Interface

connector:	N plug
Technical characteristics	

Frequency range:	2.400 GHz - 2.500 GHz 5.150 - 5.875 GHz
Gain:	4,5 dBi @ 2.400 - 2.500 GHz 7.0 dBi @ 5.150 - 5.875 GHz
Impedance:	50 Ω
Operating temperature:	-10 °C ~ 55 °C
Polarisation:	linear vertical
Power handling:	2 W
VSWR:	2.0

Physical characteristics

Housing material:	GFRP UV resistant
Length:	220 mm
Diameter connector:	21.00 mm