

Delock Antenna Cable N plug > SMA plug CFD200 15 m low loss

Description

This high-quality coaxial cable ensures a reliable connection of components of the radio frequency technology. It is characterised by a very low attenuation.



15 m

Item no. 89516

EAN: 4043619895168

Country of origin: Taiwan,
Republic of China

Package: Zip poly bag

Technical details

- Connectors:
 - 1 x N plug
 - 1 x SMA plug
- Cable type: CFD200
- Cable attenuation:
 - 0.55 dB @ 2.5 GHz per meter
 - 0.86 dB @ 5.8 GHz per meter
- Impedance: 50 Ohm
- Cable diameter: ca. 4.8 mm
- Cable colour: black
- Cable length incl. connectors: ca. 15 m


System requirements

- Device with a free N jack or with SMA jack

Package content

- Antenna cable

Images



Interface

| | |
|--------------|--------------|
| Connector 1: | 1 x N male |
| Connector 2: | 1 x SMA plug |

Technical characteristics

| | |
|------------|------|
| Impedance: | 50 Ω |
|------------|------|

Physical characteristics

| | |
|-------------------------------|---|
| Cable category: | coaxial |
| Cable type: | CFD200 |
| Cable attenuation: | 0.55 dB @ 2.4 GHz per meter 0.86 dB @ 5.8GHz per meter |
| Cable colour: | black |
| Cable length incl. connector: | 15 m |
| Smallest bending radius: | 12.7 mm |