

Delock Cable serial pin header female > 1 x DB9 male 2 mm pitch layout: twisted

Description

This serial cable by Delock is amongst others designed for Gigabyte Mainboards of the GA-Hxxxx and GA-Nxxxx series. These systems are extended by an external connection.



30 cm

Item no. 89632

EAN: 4043619896325 Country of origin: China Package: Zip poly bag

Technical details

- Connections: external: 1 x DB9 male internal: 1 x 9 pin pin header 2 mm pitch
- Cable length incl. connectors: 30 cm
- Compatible with the Gigabyte GA-Hxxxx and GA-Nxxxx series

System requirements

- One free COM port internal
- PC with one free DB9 case opening

Package content

• Cable with 1 x COM port



Images



) E:		0	3 4 5 0 0 0 0 0 0 7 8 9
PIN		PIN	
1	DCD (NDCD-)	1	DCD
2	DSR (NDRS-)	2	
			RX
3	RX (NSIN)		TX
		3	TX
3 4 5	RX (NSIN)	3 4	TX DTR
3 4	RX (NSIN) RTS (NRTS-)	3 4 5	TX DTR GND
3 4 5	RX (NSIN) RTS (NRTS-) TX (NSOUT)	3 4 5 6	TX DTR GND DSR
3 4 5 6	RX (NSIN) RTS (NRTS-) TX (NSOUT) CTS (NCTS-)	3 4 5 6 7	TX DTR GND DSR RTS
3 4 5 6 7	RX (NSIN) RTS (NRTS-) TX (NSOUT) CTS (NCTS-) DTR (NDTR-)	3 4 5 6	TX DTR GND DSR



General

Specification:	RS-232 (EIA / TIA)	
Interface		
Connector 1:	1 x 2 mm pin header female	
Connector 2:	1 x DB9 male	

Physical characteristics

Cable colour:	grey
Cable length incl. connector:	30 cm
Screw type:	#4-40 UNC