

# Delock LTE MIMO Antenna 2 x SMA Plug 8 dBi directional with connection cable RG-58 5 m white outdoor

## Description

This MIMO antenna by Delock allows the usage of different LTE bands indoors and outdoors. It is completely compatible to GSM, UMTS, LTE, ZigBee, DECT, Z-Wave, NB-IoT, WLAN, Bluetooth and LoRa 868 MHz / 915 MHz.



2 x 5 m

**Item no. 89890**

EAN: 4043619898909

Country of origin: China

Package: Retail Box

## Technical details

- Connectors: 2 x SMA plug
- GSM, UMTS, LTE, ZigBee, DECT, Z-Wave, NB-IoT, WLAN, Bluetooth, LoRa 868 MHz / 915 MHz, MIMO
- Frequency range:  
698 - 960 MHz  
1710 - 2700 MHz
- Antenna gain: 8 dBi
- Impedance: 50 Ohm
- VSWR: 2.0
- Polarisation: vertical, horizontal
- HBW horizontal beamwidth: 75°
- VBW vertical beamwidth: 65°
- Cable type: RG-58
- Cable length incl. connectors: ca. 5 m
- Operating temperature: -40 °C ~ 65 °C
- Housing material: ABS
- Weight: ca. 0.7 kg

- Dimensions (LxWxH): ca. 23.7 x 22.9 x 5.0 cm
  - Max. Pole diameter: ca. 5.5 cm
- 

## System requirements

- Device with two free SMA connectors
- 



## Package content

- Antenna
- Mounting material:  
Nut, washer, mounting bracket and pole mounting bracket

**Images**




ca. 2 x 5 m




horizontal

698MHz




horizontal

800MHz




horizontal

960MHz




horizontal

1710MHz




horizontal

1800MHz




horizontal

1900MHz




horizontal

2000MHz




horizontal

2100MHz




horizontal

2200MHz




horizontal

2300MHz




horizontal

2400MHz




horizontal

2500MHz




horizontal

2600MHz




horizontal

2700MHz




vertical

698MHz




vertical

800MHz




vertical

960MHz




vertical

1710MHz



vertical

1800MHz



## General

Mounting type:	pole wall
Suitable for indoor:	yes
Suitable for outdoor:	yes

## Technical characteristics

Frequency range:	1710 - 2700 MHz 698 MHz - 960 MHz
Antenna gain:	8 dBi
Beam width horizontal:	75°
Beam width vertical:	65°
Impedance:	50 Ω
Operating temperature:	-40 °C ~ 60 °C
Polarisation:	vertical horizontal
Power handling:	50 W
VSWR:	2.0

## Physical characteristics

Antenna type:	directional
Housing material:	ABS
Weight:	0.7 kg
Cable type:	RG-58
Cable attenuation:	0.6 dB @ 1 GHz per meter
Cable colour:	black
Cable length incl. connector:	5 m
Length:	23.7 cm

Width:	22.9 cm
Height:	5.0 cm
Colour:	white