

Delock Adapter USB 2.0 Type-C[™] male > 1 x Serial RS-232 RJ45 male 1.0 m grey

Description

This USB 2.0 to RS-232 adapter by Delock is suitable for the console control at CISCO routers, switches, access points and other compatible devices via PC or laptop.



Item no. 89893

EAN: 4043619898930 Country of origin: China Package: Zip poly bag

Technical details

- Connectors:
 - 1 x USB 2.0 Type-C[™] male
 - 1 x Serial RS-232 RJ45 male
- Chipset: FTDI FT232RL
- Compatible with USB 3.0, USB 2.0, and USB 1.1 full speed 12 Mbps
- Data transfer rate up to 230.4 Kb/s
- Colour: grey
- Cable length incl. connectors: ca. 1.0 m
- Suitable for various compatible CISCO devices

System requirements

- Windows 7/7-64/8.1/8.1-64/10/10-64/11/Windows Server 2012 R2/Windows Server 2016, ex Linux Kernel 2.6, ex MAC OS 10.9
- PC or laptop with a free USB Type-C port






Package content

• USB 2.0 to 1 x Serial adapter

Images





General

| Function: | Plug & Play |
|-----------------------------|--|
| Specification: | RS-232 (EIA / TIA) USB 1.1 USB 2.0 USB 5 Gbps |
| Supported operating system: | Linux Kernel 2.6 or above Mac OS 10.9 or above Windows 10 32-Bit Windows 10 64-Bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit Windows Server 2012 R2 Windows Server 2012 |

Interface

| Connector 1: | 1 x USB 2.0 Type-C™ male |
|--------------|--------------------------|
| Connector 2: | 1 x RJ45 male |

Technical characteristics

| Chipset: | FTDI FT232RL |
|---------------------|-----------------------------|
| Data transfer rate: | up to 230.4 Kb/s |
| FIFO: | 128 byte 256 Byte |
| Data transmission: | asynchronous full duplex |

Physical characteristics

| Cable length incl. connector: | 1 m |
|-------------------------------|------|
| Colour: | grey |