

Delock USB Type-C™ Card Reader for Compact Flash or Micro SD memory cards

Description

This card reader by Delock has two memory card slots and allows to read and write different Compact Flash or Micro SD memory cards. The card reader can be connected to a PC or laptop via the USB Type-C™ interface.



Note

Only Compact Flash type I memory cards are supported. The Compact Flash type II memory cards have a height of 5 mm and do not fit into the slot.

Item no. 91744

EAN: 4043619917440

Country of origin: China

Package: Retail Box

Technical details

- Connectors:
 - 1 x SuperSpeed USB (USB 3.1 Gen 1) USB Type-C™ male >
 - 1 x CF type I slot
 - 1 x Micro SD slot
- Chipset: GL3233
- Data transfer rate up to:
 - SuperSpeed USB 5 Gbps,
 - Hi-Speed 480 Mbps,
 - Full-Speed 12 Mbps,
 - Low-Speed 1.5 Mbps
- It can only be used one memory card, not both at the same time
- Housing material: aluminium
- Dimensions without cable (LxWxH): ca. 58.1 x 50.7 x 10.3 mm
- Cable length without connectors: ca. 8 cm
- Colour: anthracite
- Plug & Play

- Supports following memory cards:
 - Slot 1**

CF I, CF Ultra, CF Ultra II, CF Ultra III, CF Ultra IV, CF Extreme, CF Extreme III,
CF Extreme IV, CF Extreme Pro, CF Elite, CF Elite Pro, CF Ultimate, CF Pro, CF Pro II,
CF Pro III

Slot 2

Micro SD, Micro SDHC, Micro SDXC, T-Flash, MMC Mobile, MMC micro


System requirements

- Linux Kernel 2.6 or above
- Mac OS 10.9 or above
- Windows 7/7-64/8.1/8.1-64/10/10-64
- PC or laptop with a free USB Type-C™ or Thunderbolt™ 3 port

Package content

- Card reader USB Type-C™ to CF / Micro SD

Images



General

Function:	Plug & Play
Specification:	SuperSpeed USB (USB 3.2 Gen 1)
Supported operating system:	Linux Kernel 2.6 or above Mac OS 10.9 or above Windows 10 32-Bit Windows 10 64-Bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit
Supported memory card:	Micro SD Micro SDHC Micro SDXC CF I T-Flash CF Elite Pro CF Pro CF Pro II Micro SDHC Ultra CF Ultra CF Ultra II CF Ultra III CF Ultra IV CF Extreme CF Extreme III CF Extreme IV CF Extreme Pro CF Elite CF Ultimate CF Pro III MMC Mobile MMC micro

Interface

Output:	1 x Micro SD Slot 1 x CF type I slot
Input:	1 x USB 5 Gbps USB Type-C™ male

Technical characteristics

Chipset:	GL3233
Data transfer rate:	USB 5 Gbps

Physical characteristics

Housing colour:	anthracite
Housing material:	Aluminium
Cable length:	8 cm
Length:	58.1 mm
Width:	50.7 mm
Height:	10.3 mm