


Delock Mini PCIe Converter to 4 x SATA 6 Gb/s

Description

This Mini PCIe module by Delock expands the system by **four internal SATA 6 Gb/s** ports. It can be used to connect devices like SSDs, SATA HDDs, or similar drives.



Item no. 95000

EAN: 4043619950003

Country of origin: China

Package: Box

Technical details

- Connectors:
 - 1 x Mini PCI Express, Rev. 2.0
 - 1 x SFF-8087 female
- Chipset: Marvell 88SE9215
- Interface: PCI Express revision 2.0
- Form factor: Mini PCIe full size
- Data transfer rate:
 - SATA up to 6 Gb/s
 - PCI Express up to 5 Gb/s
- Supports SATA Port Multiplier
- Supports Native Command Queuing (NCQ)
- Supports S.M.A.R.T.
- Supports TRIM
- Supports DevSleep
- Supports Serial ATA AHCI
- 4 x LED indicator
- Humidity: 5 ~ 95 %
- Storage temperature: 5 °C ~ 55 °C


System requirements

- Linux Kernel 3.3 or above
- Windows 8.1/8.1-64/10/10-64
- Windows Server 2016
- Motherboard with a free Mini PCIe slot with a PCIe interface

Package content

- Mini PCIe module
- Cable SFF-8087 male to 4 x SATA receptacle, length ca. 80 cm
- User manual

Images



General

Supported operating system:	Linux Kernel 3.3 or above Windows 10 32-Bit Windows 10 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit
-----------------------------	---

Interface

Connector 1:	1 x Mini PCI Express, Rev. 2.0
Connector 2:	4 x SATA 6 Gb/s 7 pin plug

Technical characteristics

Chipset:	Marvell 88SE9215
Data transfer rate:	6 Gb/s
Interface:	PCI Express