


# Delock Mini PCIe I/O PCIe half size 2 x SATA 6 Gb/s

## Description

This Mini PCIe module by Delock expands the system by two internal SATA 6 Gb/s ports. It can be used to connect devices like SSDs, SATA HDDs, or similar drives. Through the attached extension it is possible to use the module in full size slots.



**Item no. 95260**

EAN: 4043619952601

Country of origin: China

Package: Retail Box

## Technical details

- Connectors:
  - 1 x Mini PCI Express, Rev. 1.2
  - 2 x SATA 6 Gb/s 7 pin plug
- Chipset: Asmedia ASM1061
- Interface: PCI Express revision 2.0
- Form factor: Mini PCIe half size
- Data transfer rate:
  - SATA up to 6 Gb/s
  - PCI Express up to 5 Gb/s
- Supports Native Command Queuing (NCQ)
- Supports Serial ATA AHCI


## System requirements

- Linux Kernel 4.9.4 or above
- Windows 7/7-64/8.1/8.1-64/10/10-64/11
- Motherboard with a free Mini PCIe slot with a PCIe interface

## Package content

- Mini PCIe module
- Driver CD
- Extension
- 4 x screw
- User manual

## Images



## General

Supported operating system:	Windows 10 32-Bit Windows 10 64-Bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit ex Linux Kernel 4.9.4 Windows 11
-----------------------------	---

## Interface

Connector 1:	1 x Mini PCI Express, Rev. 1.2
Connector 2:	2 x SATA 6 Gb/s 7 pin plug

## Technical characteristics

Chipset:	Asmedia ASM1061
Data transfer rate:	5 Gbps 6 Gb/s
Interface:	PCI Express