


Delock Mini PCIe I/O PCIe full size 1 x SFP Gigabit LAN

Description

This Mini PCIe module by Delock expands a system by one Gigabit LAN SFP interface, which can be lead out via the slot bracket. With the perforation, the length can be shortened from full size to half size.



Item no. 95267

EAN: 4043619952670

Country of origin: China

Package: White Box

Technical details

- Connectors:
 - internal:
 - 1 x Mini PCIe male
 - external:
 - 1 x SFP slot for 1 Gbps SFP module
- Chipset: Intel i210
- Form factor: Mini PCIe full size / half size
- Interface: PCI Express revision 2.1
- Data transfer rate:
 - Ethernet up to 10 Mbps
 - Fast Ethernet up to 100 Mbps
 - Gigabit Ethernet up to 1000 Mbps
 - PCI Express x1 up to 4 Gbps
- Supports IEEE 802.3 / 802.3u / 802.3z / 802.3ab
- Supports IEEE 802.3az (Energy Efficient Ethernet)
- Supports 9k Jumbo Frames
- Supports PXE
- Operating temperature: 0 °C ~ 55 °C
- Storage temperature: -40 °C ~ 70 °C

- Cable length with connectors: ca. 18 cm
-

System requirements

- Linux Kernel 2.6 or above
 - Windows 7/7-64/8.1/8.1-64/10/10-64
 - Motherboard with a free Mini PCIe slot with a PCIe interface
 - PC with one free slot
 - SFP module
-

Package content

- Mini PCIe module
- 2 connecting cable
- Slot bracket
- Low profile bracket
- Driver CD
- User manual

General

Form factor:	Mini PCIe full size Mini PCIe half size
Supported operating system:	Linux Kernel 2.6 or above Windows 10 32-Bit Windows 10 64-Bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit

Interface

connector:	1 x SFP jack
------------	--------------

Technical characteristics

Chipset:	Intel® i210
Data transfer rate:	Gigabit Ethernet up to 1 Gbps
Storage temperature:	-40 °C ~ 70 °C
Operating temperature:	0 °C ~ 55 °C

Physical characteristics

Slot bracket:	Low Profile standard
---------------	-------------------------