

Delock DisplayPort KVM Switch 2 > 1 with USB 2.0 and Audio

Description

This KVM switch by Delock is a convenient solution for connecting two computers with DisplayPort output to one DisplayPort monitor and / or one HDMI monitor. By using the button or the remote control you can switch between both computers. Additionally there is a DisplayPort and HDMI output for connection of two monitors, of which only one can be active at a time. Furthermore, three USB Type-A ports can be used to connect a mouse, keyboard, hard drive or USB memory. The built-in USB headset feature allows you to use a headset and microphone with both computers.



Item no. 11367

EAN: 4043619113675

Country of origin: China

Package: Retail Box

Note

KVMs emulate a standard wired 104 key keyboard and wired generic 2 or 3 button scroll wheel mouse on their respective console ports. Whether or not a wireless or gaming mouse and keyboard work with KVM switches depends on several factors; in general, most wireless mice and keyboards do not support working with KVM switches. We recommend to use a standard wired mouse and keyboard with our KVM switches.

Technical details

- Connectors:
 - Input:
 - 2 x DisplayPort 20 pin female
 - 2 x USB 2.0 Type-B female
 - 1 x D-Sub 9 pin female
 - 1 x DC 5 V power connector
 - 1 x 3.5 mm 3 pin stereo jack female for optional IR-receiver
 - Output:
 - 1 x DisplayPort 20 pin female
 - 1 x HDMI-A 19 pin female
 - 3 x USB 2.0 Type-A female
 - 2 x 3.5 mm 3 pin stereo jack female

- 2 switch buttons with LED indicator for source (PC1, PC2) and sink (DisplayPort, HDMI)
- Switching via button or infrared remote control
- DisplayPort 1.1a specification
- DisplayPort output:
Resolution up to 2560 x 1440 @ 60 Hz / 3840 x 2160 @ 30 Hz
(depending on the system and the connected hardware)
- HDMI / DP++ output:
Resolution up to 1920 x 1080 @ 60 Hz (depending on the system and the connected hardware)
- DisplayPort output supports Dual Mode DP++
- Configuration and control of the device via RS232 interface
- Robust metal housing
- Colour: black
- Dimensions (LxWxH): ca. 257 x 112 x 33 mm
- OS independent, no driver installation necessary

Power supply specification

- Wall power supply
- Input: AC 100 ~ 240 V / 50 ~ 60 Hz / 0.35 A
- Output: 5 V / 2 A
- Ground outside, plus inside
- Dimensions:
inside: \varnothing ca. 2.1 mm
outside: \varnothing ca. 5.5 mm
length: ca. 9 mm

System requirements


- PC with Mini DisplayPort female + USB Type-A female
- Monitor or TV with Mini DisplayPort or HDMI interface

Package content

- KVM switch with USB and audio
- 2 x cable USB A male to USB B male, length ca. 1 m
- 2 x cable DP male to Mini DP female, length ca. 0.9 m
- 2 x cable Mini DP male to DP male, length ca. 0.9 m

- External power supply
- Remote control
- User manual

Images



Interface

Output:	1 x DisplayPort female 1 x HDMI-A female 2 x 3.5 mm stereo jack female (speaker, microphone) 3 x USB 2.0 Type-A female
Input:	1 x 3.5 mm 3 pin stereo jack female 1 x 5 V DC female 5,5 mm x 2,1 mm 2 x DisplayPort female 2 x USB 2.0 Type-B female

Technical characteristics

Maximum screen resolution:	3840 x 2160 @ 30 Hz 2560 x 1440 @ 60 Hz
----------------------------	--------------------------------------------

Physical characteristics

Housing colour:	black
Housing material:	metal
Length:	25.7 cm
Width:	11.2 cm
Height:	3.3 cm