

Delock WLAN Power Socket Switch MQTT

Description

This power socket switch by Delock can be controlled via button or WLAN. With the installed Tasmota firmware, the switch can be easily integrated into existing systems for home automation, IoT or M2M. With the help of the web interface, the power socket can be controlled without having to rely on the cloud or an app.



Item no. 11826

EAN: 4043619118267

Country of origin: China

Package: Retail Box

Technical details

- Connectors:
 - 1 x plug CEE 7/4
 - 1 x socket CEE 7/3
- Switch button with 2-colour LED indicator
- Web interface
- Programmable timer control
- Supports MQ Telemetry Transport (MQTT), Domoticz, Home Assistant
- Supports Alexa
- Chipset: ESP8285
- Compatible with IEEE 802.11b/g/n
- Frequency range: 2.4 GHz
- Transmission power (EIRP): 100 mW
- Suitable for indoor use
- Power consumption: max. 1.5 W
- Rated current: 10 A / 250 V~
- Rated power: 2500 W
- Dimensions (LxWxH): ca. 60 x 60 x 36 mm

System requirements

- WLAN Gateway

Package content

- WLAN power socket switch
- User manual

Images



Technical characteristics

| | |
|------------------|--------------|
| Frequency range: | 2.4 GHz band |
|------------------|--------------|

Physical characteristics

| | |
|---------|-------|
| Length: | 60 mm |
| Width: | 60 mm |
| Height: | 36 mm |
| Colour: | white |