

Delock LTE / GSM / UMTS antena SMA muški 3 dBi, fiksna, višesmjerna s magnetnim postoljem i kabelom za povezivanje RG-174 2 m vanjska crni

Opis

Ova Delock antena omogućuje vam uporabu različitih LTE, GSM i UMTS opsega na otvorenim i u zatvorenim prostorima. U potpunosti je usklađena za Bluetooth, WLAN 2,4 GHz, ZigBee, DECT, Z-Wave i LoRa 868 MHz / 915 MHz.



Predmet br. 12416

EAN: 4043619124169

Zemlja podrijetla: Taiwan,
Republic of China

Pakiranje: Poly bag

Tehnički podaci

- Priključak: 1 x SMA muški
- Frekvencijski opseg:
800 - 960 MHz
1710 - 2700 MHz
- GSM, UMTS, Bluetooth, WLAN 2,4 GHz, ZigBee, DECT, Z-Wave,
LoRa 868 MHz / 915 MHz
- Pojačanje antene: 3 dBi
- Impedancija: 50 ohma
- Polarizacija: vertikalna
- VSWR: 2,0
- Radna temperatura: -30 °C ~ 70 °C
- Boja: crno
- Duljina antene uključujući magnetno postolje: cca 88,7 mm
- Kabel: koaksijalni
- Vrsta kabela: RG-174
- Boja kabela: crna

- Gubici kabela: 1,5 dB @ 1,5 GHz po metru
 - Promjer kabela: cca 2,7 mm
 - Duljina kabela zajedno s priključkom: oko 2 m
 - Promjer magnetskog postolja: cca 29,0 mm
-



Preduvjeti sustava

- Uređaj sa slobodnim SMA utičnicom
-


Sadržaj pakiranja

- Antena


Slike




Far-field amplitude 100000 - E azi
 Antenna: SR A-4002
 Material: 40P
 Frequency: 100000 Hz
 Polarization: E-azi
 Scale: 100 dBm




Far-field amplitude 100000 - H azi
 Antenna: SR A-4002
 Material: 40P
 Frequency: 100000 Hz
 Polarization: H-azi
 Scale: 100 dBm




Far-field amplitude 100000 - E azi
 Antenna: SR A-4002
 Material: 40P
 Frequency: 100000 Hz
 Polarization: E-azi
 Scale: 100 dBm




Far-field amplitude 173000 - E azi
 Antenna: SR A-4002
 Material: 40P
 Frequency: 173000 Hz
 Polarization: E-azi
 Scale: 100 dBm




Far-field amplitude 173000 - H azi
 Antenna: SR A-4002
 Material: 40P
 Frequency: 173000 Hz
 Polarization: H-azi
 Scale: 100 dBm




Far-field amplitude 100000 - E azi
 Antenna: SR A-4002
 Material: 40P
 Frequency: 100000 Hz
 Polarization: E-azi
 Scale: 100 dBm




Far-field amplitude 100000 - H azi
 Antenna: SR A-4002
 Material: 40P
 Frequency: 100000 Hz
 Polarization: H-azi
 Scale: 100 dBm




Far-field amplitude 217000 - E azi
 Antenna: SR A-4002
 Material: 40P
 Frequency: 217000 Hz
 Polarization: E-azi
 Scale: 100 dBm




Far-field amplitude 200000 - E azi
 Antenna: SR A-4002
 Material: 40P
 Frequency: 200000 Hz
 Polarization: E-azi
 Scale: 100 dBm




Far-field amplitude 200000 - H azi
 Antenna: SR A-4002
 Material: 40P
 Frequency: 200000 Hz
 Polarization: H-azi
 Scale: 100 dBm




Far-field amplitude 200000 - H azi
 Antenna: SR A-4002
 Material: 40P
 Frequency: 200000 Hz
 Polarization: H-azi
 Scale: 100 dBm




Far-field amplitude 200000 - E azi
 Antenna: SR A-4002
 Material: 40P
 Frequency: 200000 Hz
 Polarization: E-azi
 Scale: 100 dBm




Far-field amplitude 200000 - H azi
 Antenna: SR A-4002
 Material: 40P
 Frequency: 200000 Hz
 Polarization: H-azi
 Scale: 100 dBm




Far-field amplitude 200000 - E azi
 Antenna: SR A-4002
 Material: 40P
 Frequency: 200000 Hz
 Polarization: E-azi
 Scale: 100 dBm




Far-field amplitude 173000 - H azi
 Antenna: SR A-4002
 Material: 40P
 Frequency: 173000 Hz
 Polarization: H-azi
 Scale: 100 dBm




Far-field amplitude 100000 - H azi
 Antenna: SR A-4002
 Material: 40P
 Frequency: 100000 Hz
 Polarization: H-azi
 Scale: 100 dBm




Far-field amplitude 100000 - E azi
 Antenna: SR A-4002
 Material: 40P
 Frequency: 100000 Hz
 Polarization: E-azi
 Scale: 100 dBm



Far-field amplitude 217000 - H azi
 Antenna: SR A-4002
 Material: 40P
 Frequency: 217000 Hz
 Polarization: H-azi
 Scale: 100 dBm



Far-field amplitude 200000 - H azi
 Antenna: SR A-4002
 Material: 40P
 Frequency: 200000 Hz
 Polarization: H-azi
 Scale: 100 dBm



Far-field amplitude 200000 - H azi
 Antenna: SR A-4002
 Material: 40P
 Frequency: 200000 Hz
 Polarization: H-azi
 Scale: 100 dBm

General

Mounting type:	magnetic
Suitable for indoor:	Yes (Da)
Suitable for outdoor:	Yes (Da)

Interface

priključak:	1 x SMA utikač
-------------	----------------

Technical characteristics

Frequency range:	1710 - 2700 MHz 800 - 960 MHz
Antenna gain:	3 dBi
Gain:	0 - 3 dBi
Impedancijaa:	50 Ω
Radna temperatura:	-30 °C ~ 70 °C
Polarisation:	vertikal
VSWR:	2,0

Physical characteristics

Antenna type:	svesmjerno
Antenna length incl. magnetic base:	88,7 mm
Diameter magnetical base:	29 mm
Height magnetical base:	18.7 mm
Cable category:	koaksijalni
Cable type:	RG-174
Cable attenuation:	1.5 dB @ 1.5 GHz per meter
Boja kabela:	crne

Cable length incl. connector:	2 m
Površinska zaštite konektora:	pozlaćeni
Boja:	crne