

Delock LTE Antenne N Buchse 3 dBi omnidirektional starr Dachmontage outdoor

Opis

Ova Delock antena omogućuje vam uporabu različitih LTE opsega na otvorenim i u zatvorenim prostorima. U potpunosti je usklađena za GSM, UMTS, Bluetooth, WLAN 2,4 GHz, ZigBee, DECT i Z-Wave.



Predmet br. 12456

EAN: 4043619124565

Zemlja podrijetla: China

Pakiranje: Plastična vrećica sa zip zatvaračem

Tehnički podaci

- Priključak: 1 x N ženski
- Frekvencijski opseg:
 - 698 MHz - 960 MHz
 - 1710 MHz - 2170 MHz
 - 2500 MHz - 2700 MHz
- ZigBee, LoRa, DECT, Z-Wave, NB-IoT, Bluetooth, GSM, UMTS, LTE, ISM, WLAN 2,4 GHz
- Pojačanje antene: 3 dBi
- Impedancija: 50 ohma
- VSWR: 2,0
- Polarizacija: vertikalna
- Način ugradnje: vijcima
- Promjer rupe za montažu: 13,5 mm
- Radna temperatura: -40 °C ~ 70 °C
- Materijal kućišta: ABS
- Stupanj zaštite: IP67
- Boja: crno
- Mjere (DxŠxV): oko 66 x 22 x 22 mm




Preduvjeti sustava

- Uređaj sa slobodnim N muškim

Sadržaj pakiranja

- LTE antena
- Matica, podloška

Slike



General

Mounting type:	Ugradnja vijcima u rupe promjera 13,5 mm
Protection category:	IP67

Interface

priključak:	1 x N ženski
-------------	--------------

Technical characteristics

Frequency range:	2500 MHz - 2700 MHz 698 MHz - 960 MHz 1710 MHz - 2170 MHz
Gain:	3 dBi
Impedancijaa:	50 Ω
Radna temperatura:	-40 °C ~ 70 °C
Polarisation:	linear vertical
VSWR:	2,0

Physical characteristics

Materijal kućišta:	ABS otporno na UV zrake
Diameter:	22 mm
Height:	66 mm
Boja:	crne