

# Delock 433 MHz Antenna SMA maschio a 3 dBi omnidirezionali fissi con cavo di collegamento RG-58 C/U 3 m montaggio a parete esterno argento

## Descrizione

Questa antenna Delock consente l'utilizzo di bande da 433 MHz in interni ed esterni.



### Articolo n. 12565

EAN: 4043619125654

Paese di origine: China

Pacchetto: White Box

## Dettagli tecnici

- Connettore: 1 x SMA maschio
- Gamma di frequenza: 433 MHz
- Guadagno antenna: 3 dBi
- Impedenza: 50 Ohm
- VSWR: 1,5
- Polarizzazione: verticale
- Temperatura di esercizio: -50 °C ~ 70 °C
- Materiale custodia: acciaio
- Colore: argento
- Cavo: coassiale
- Tipo di cavo: RG-58 C/U
- Attenuazione cavo: 0,73 dB @ 1,0 GHz per metro
- Diametro cavo: ca. 4,95 mm
- Raggio di curvatura minimo: 20 mm
- Lunghezza cavo con connettori: ca. 3,0 m
- Dimensioni (LxP): ca. 450,0 x 19,1 mm

---

## Requisiti di sistema

- Dispositivo con un connettore SMA disponibile

---

## Contenuto della confezione

- Antenna
- Staffe di montaggio a parete

---

## Immagini



## General

Mounting type:	Montaggio a parete
Suitable for outdoor:	Si

## Interface

connector:	1 x SMA maschio
------------	-----------------

## Technical characteristics

Frequency range:	433 MHz
Gain:	3 dBi
Impedance:	50 Ω
Temperatura di esercizio:	-50 °C ~ 70 °C
Polarisation:	vertical
VSWR:	1,5

## Physical characteristics

Antenna type:	Groundplane
Cable category:	coassiale
Cable type:	RG-58 C/U
Cable attenuation:	0,73 dB @ 1,0 GHz per metro
Cable colour:	nero
Cable length incl. connector:	3.0 m
Smallest bending radius:	20 mm
Colour:	argento
Dimensions (LxØ):	450.0 x 19.1 mm