

Delock LTE Antenna N plug 3 dBi omnidirectional fixed roof mount outdoor

Description

This antenna by Delock allows the usage of different LTE bands indoors and outdoors. It is completely compatible to GSM, UMTS, Bluetooth, WLAN 2.4 GHz, ZigBee, DECT, Z-Wave and LoRa 868 MHz / 915 MHz.



Item no. 12604

EAN: 4043619126040

Country of origin: China

Package: Zip poly bag

Technical details

- Connector: 1 x N plug
- Frequency range:
 - 698 MHz - 960 MHz
 - 1710 MHz - 2170 MHz
 - 2500 MHz - 2700 MHz
- ZigBee, LoRa, DECT, Z-Wave, NB-IoT, Bluetooth, GSM, UMTS, LTE, ISM, WLAN 2.4 GHz
- Antenna gain: 3 dBi
- Impedance: 50 Ohm
- VSWR: 2.0
- Polarisation: vertical
- Mounting type: screw mounting
- Mounting hole diameter: 13.5 mm
- Operating temperature: -40 °C ~ 70 °C
- Housing material: ABS
- Protection class: IP67
- Colour: black
- Dimensions (LxWxH): ca. 64 x 22 x 22 mm

System requirements

- Device with a free N jack

Package content

- LTE antenna

Images



General

Protection category:	IP67
----------------------	------

Interface

connector:	1 x N male
------------	------------

Technical characteristics

Frequency range:	2500 MHz - 2700 MHz 698 MHz - 960 MHz 1710 MHz - 2170 MHz
Gain:	3 dBi
Impedance:	50 Ω
Operating temperature:	-40 °C ~ 70 °C
Polarisation:	linear vertical
VSWR:	2.0

Physical characteristics

Housing material:	ABS UV resistant
Weight:	43 g
Diameter:	22 mm
Height:	66 mm
Colour:	black