

Delock Antenă LTE SMA tată 1,9 - 2,3 dBi, omnidirecțional cu articulație înclinată, negru

Descriere scurta

Această antenă LTE de la Delock permite utilizarea diferitelor benzi LTE în interior. Este complet compatibilă cu GSM, UMTS, LTE, ZigBee, Z-Wave, NB-IoT, WLAN la 2,4 GHz, Bluetooth, ISM, DECT și LoRa.



Nr. 12635

EAN: 4043619126354

Țara de origine: Taiwan,
Republic of China

Pachet: Retail Box

Detalii tehnice

- Conector: 1 x SMA tată
- GSM, UMTS, 5G LTE, ZigBee, Z-Wave, NB-IoT, WLAN, Bluetooth, ISM, DECT, LoRa
- Interval frecvență:
 - 698 - 791 MHz
 - 824 - 960 MHz
 - 1710 - 2170 MHz
 - 2300 - 2700 MHz
- Amplificare antenă: 1,9 - 2,3 dBi
- Impedanță: 50 Ohm
- VSWR: 2,5 - 4,0
- Polarizare: liniară, verticală
- Temperatură în stare de funcționare: -10 °C ~ 55 °C
- Material carcasă: ABS
- Culoare: negru
- Dimensiunii (LxlxÎ): aprox. 231,10 x 21,60 x 5,50 mm




Cerinte de sistem

- Dispozitiv cu un port SMA liber

Pachetul contine

- Antenă

Imagini



General

Mounting type:	Screw mounting
Suitable for indoor:	Da

Interface

connector:	1 x SMA tată
------------	--------------

Technical characteristics

Frequency range:	824 MHz - 960 MHz 698 MHz - 791 MHz 2300 MHz - 2700 MHz 1710 MHz - 2170 MHz
Antenna gain:	1.9 - 2.3 dBi
Impedance:	50 Ω
Temperatură în stare de funcționare:	-10 °C ~ 55 °C
Polarisation:	linear vertical
VSWR:	3,0 - 6,0

Physical characteristics

Carcasa uloare:	negru
Material carcasă:	ABS
Width:	2.16 cm
Height:	0.5 cm
Length with tilt joint:	23.10 cm