

# Delock USB Charger 2 x USB Type-C™ PD 3.0 + 1 x USB Type-A with 60 W

## Description

This USB Power Delivery (PD) charger by Delock can be used to charge laptops with USB Type-C™ connector. It provides two ports with various voltages from 5 V to 20 V and power up to 60 watt. In addition, one USB Type-A connector with voltages from 5 V, 9 V or 12 V and max. 18 watt power for other mobile devices are available.

## Safe fast charging

Common fast charging technologies, such as Power Delivery (PD) 3.0, are supported. This makes the charging process as safe and fast as possible.



**Item no. 41453**

EAN: 4043619414536

Country of origin: China

Package: Box

## Technical details

- Connectors:
  - 2 x USB Type-C™ female (PD 3.0)
  - 1 x USB Type-A female
  - 1 x IEC-60320-C8 connector
- Input: AC 100 ~ 240 V / 50 ~ 60 Hz / 1.5 A
- Output:
  - USB-C™ 5.0 V / 9.0 V / 15.0 V / 20.0 V 3.0 A (max. 60.0 W)
  - USB-A 5.0 V 3.0 A / 9.0 V 2.0 A / 12.0 V 1.5 A (max. 18.0 W)
- Output power: max. 60.0 W total
- Average active efficiency 80.56 %
- Efficiency at low load (10 %) 75.49 %
- No-load power consumption 0.13 W
- Overload protection
- Over current protection
- Overheating protection
- Short circuit protection
- Colour: black
- Dimensions (LxWxH): ca. 109 x 66 x 17 mm

---

## Package content

- USB charging station
- Cable USB-C™ male to USB-C™ male, length ca. 1 m
- Power cord, length ca. 1.5 m
- User manual

---

## Images



### Physical characteristics

Housing colour:	black
Length:	109 mm
Width:	66 mm
Height:	17 mm

### Power supply

Type:	Power supply with IEC connector
Input:	AC 100 - 240 V / 50 - 60 Hz / 1,5 A
Output:	5.0 V / 3.0 A 9.0 V / 3.0 A 15.0 V / 3.0 A 20.0 V / 3.0 A 9,0 V / 2,0 A 12,0 V / 1,5 A
Connector:	1 x USB Type-A female 2 x USB Type-C™ female