


Delock External Power Supply DC 3.5 x 1.35 mm, DC 5.5 x 2.1 mm, DC 5.5 x 2.5 mm 5.0 V / 2.0 A / 10.0 W

Description

This external 5 V power supply by Delock can be used to supply power to various devices. With the three permanently installed DC connectors (3.5 x 1.35 mm, 5.5 x 2.1 mm and 5.5 x 2.5 mm), the power supply can be used universally.

Note

To ensure the correct function of the connected device, it must match the specifications for voltage, current and polarity of the power supply.



Item no. 41466

EAN: 4043619414666

Country of origin: China

Package: White Box

Technical details

- Connector:
 - 1 x plug CEE 7/16
 - 1 x DC 3.5 x 1.35 x 10.0 mm male
 - 1 x DC 5.5 x 2.1 x 10.0 mm male
 - 1 x DC 5.5 x 2.5 x 10.0 mm male
- Ground outside, plus inside
- Switching power supply
- Input: AC 100 ~ 240 V / 50 ~ 60 Hz / 0.35 A
- Output: 5.0 V / 2.0 A
- Output power: max. 10.0 W total
- Average active efficiency 78.70 %
- Efficiency at low load (10 %) 78.19 %
- No-load power consumption 0.06 W
- Cable length: ca. 1.8 m

Package content

- Power supply
- User manual

Images



Physical characteristics

| | |
|-----------------|-------|
| Housing colour: | black |
|-----------------|-------|

Power supply

| | |
|------------|--|
| Input: | AC 100 - 240 V / 50 - 60 Hz / 0,35 A |
| Output: | 5 V / 2 A |
| Connector: | DC male 3.5 mm x 1.35 mm DC male 5.5 mm x 2.1 mm DC plug 5.5 mm x 2.5 mm |