


# Delock External Enclosure 2 x M.2 Key B > SuperSpeed USB 10 Gbps (USB 3.1 Gen 2) with RAID

## Description

The aluminium enclosure by Delock enables the installation of two M.2 SSD in 2280, 2260, 2242 and 2230 format, which can be connected via USB to the PC or laptop. When using more than one SSD, there is the possibility to use different RAID level.



**Item no. 42588**

EAN: 4043619425884

Country of origin: Taiwan, Republic of China

Package: Retail Box

## Technical details

- Connector:
  - external: 1 x SuperSpeed USB 10 Gbps (USB 3.1 Gen 2) Type Micro-B female
  - internal: 2 x 67 pin M.2 key B slot
- Interface: SATA
- Chipset: Asmedia ASM1352R
- Supports M.2 modules in format 2280, 2260, 2242 and 2230 with key B based on SATA
- Maximum height of the components on the module: 1.25 mm application of double-sided assembled modules supported
- Supports RAID 0, 1, SPAN, Port Multiplier
- Switch for RAID mode
- Reset button
- Data transfer rate up to 6 Gb/s
- 2 x LED indicator for power and access
- Operating temperature: 0 °C ~ 70 °C
- Storage temperature: -20 °C ~ 70 °C
- Dimensions (LxWxH): ca. 100 x 80 x 17 mm
- Hot Plug, Plug & Play

---

## System requirements

- Windows 7/7-64/8.1/8.1-64/10/10-64, Linux ex Kernel 4.6, Mac OS 10.12
- PC or laptop with a free USB Type-A port

---

## Package content

- External enclosure
- Screwdriver, screws
- Cable USB 3.1 Type-A to Type Micro-B, length ca. 40 cm
- User manual

---

## Images



## General

Function:	Hot Plug Plug & Play
Internal construction:	full PCB
Supported operating system:	Linux Kernel 3.19 or above Mac OS 10.12 or above Windows 10 32-Bit Windows 10 64-Bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit
Supported module:	M.2 modules in format 2280, 2260, 2242 and 2230 with key B or key B+M based on SATA
Maximum height of the components on the module:	1.5 mm application of double-sided assembled modules supported

## Interface

External:	1 x USB 10 Gbps Type Micro-B female
Internal:	2 x 67 pin M.2 key B slot

## Technical characteristics

Chipset:	Asmedia ASM1352R
Data transfer rate:	USB 10 Gbps up to 10 Gb/s
RAID function:	SPAN 0 1 Port Multiplier

## Physical characteristics

Housing material:	Aluminium
Length:	100 mm

Width:	80 mm
Height:	17 mm
Colour:	black