

Delock Thunderbolt™ 3 External Portable 960 GB SSD M.2 PCIe NVMe

Description

This portable SSD by Delock can be connected to a PC or laptop via Thunderbolt™ 3 interface. Due to the small dimensions, the SSD is ideal as on the go companion. The high read and write speed supports fast data transfer even for big amount of data, which is particularly important in the photo and video range. The robust metal housing with cooling fins on the sides ensures an optimum temperature of the memory.

[Delock Thunderbolt™ 3 SSD \(Video\)](#)



Item no. 54061

EAN: 4043619540617

Country of origin: Taiwan,
Republic of China

Package: Retail Box

Technical details

- Connector: 1 x Thunderbolt™ 3 USB Type-C™ 24 pin male
- Capacity: 960 GB
- Interface: PCIe Rev. 3.0
- Maximum read speed: 2800 MB/s
- Maximum write speed: 2300 MB/s
- MTBF: 2.000.000 hours
- Flash type: MLC
- Maximum write cycles: 3000
- Storage temperature: 5 °C ~ 35 °C
- Operating temperature: 5 °C ~ 35 °C
- 1 x LED indicator
- Thunderbolt™ 3 bus powered
- Passive cooling of the memory by the metal housing with integrated cooling fins
- Dimensions (LxWxH): ca. 108 x 65 x 14 mm
- Cable length without connectors: ca. 16 cm
- Colour: silver
- Hot Plug, Plug & Play

System requirements

- Windows 7/7-64/8.1/8.1-64/10/10-64, ex Linux Kernel 4.3.3 / Kernel 4.9.1, ex Mac OS 10.12
- PC or laptop with a free Thunderbolt™ 3 port

Package content

- Thunderbolt™ 3 SSD
- Velour bag
- User manual

Images



Interface

| | |
|------------|--|
| connector: | 1 x Thunderbolt™ 3 USB Type-C™ 24 pin male |
|------------|--|

Technical characteristics

| | |
|----------------------|-----------------|
| Storage temperature: | 5 °C ~ 35 °C |
| Read: | 2800 MB/s |
| MTBF: | 2.000.000 hours |
| Interface: | PCI Express |
| Write: | 2300 MB/s |
| Capacity: | 960 GB |

Physical characteristics

| | |
|---------|--------|
| Length: | 108 mm |
| Width: | 65 mm |
| Height: | 14 mm |