

Delock DL4 Solar Connectors for crimping, male and female, black 2 pcs

Description

These DL4 solar connectors for crimping by Delock can be used in a solar generator junction box to protect against overloads and the effects of short circuits.

DL4 connectors

The DL4 plugs and sockets have a snap-in function, which avoids unwanted interruptions and ensures a secure connection. The connection can be released again with the appropriate tool.

IP67 dust and waterproof

The DL4 solar connectors are protected from dirt and moisture.



Item no. 60028

EAN: 4043619600281 Country of origin: China Package: Zip poly bag

Technical details

- Connectors:
 - 1 x DL4 male for crimping
 - 1 x DL4 female for crimping
- Cable cross section: ca. 4 mm²
- Compatible with MC4, TS4, QC4
- Operating temperature: -40 °C ~ 90 °C
- Protection class: IP67
- Voltage: max. 1000 V
- Colour: black
- Dimensions (LxWxH): plug ca. 5.0 x 1.9 x 1.2 cm female ca. 5.0 x 1.9 x 1.9 cm

System requirements

• A free DL4 port



Package content

• DL4 connectors

Images









Interface

Connector 1:	1 x DL4 male
Connector 2:	1 x DL4 female

Technical characteristics

Valtaga:	1000 V	
voltage:	1000 v	
-		

Physical characteristics

Length:	104 mm
Width:	39 mm
Height:	18 mm
Colour:	black