Delock M12 Adapter D-coded 4 pin male to RJ45 jack straight

Description

This industrial Ethernet adapter by Delock can be used to connect various components with M12 connectors, e.g. for machine control or automation.

Einbau in Schaltschrank

Due to its compact dimensions, the adapter is very well suited for installation in a switch cabinet. Devices with M12 connectors can be integrated into an existing network structure.

Item no. 60061

EAN: 4043619600618
Country of origin: China
Package: Zip poly bag

Technical details

- Connectors:
    1 x M12 male 4 pin D-coded
    1 x RJ45 jack
- PROFINET specification
- Pin assignment according to PROFINET standard
- Cat.5e specification
- Housing material: PUR (TPU)
- M16 external thread
- Contacts gold-plated
- Operating voltage: max. 250 V
- Current: max. 4 A
- Operating temperature: -25 °C ~ 85 °C
- Protection class: IP67 (M12)
- Colour: black
- Dimensions (LxWxH): ca. 47 x 19 x 19 mm

System requirements

© 2024 by Delock. All names and symbols mentioned here are property of the respective producer.
Printing errors, changes and errors excepted.

www.delock.de
60061

1 / 3
15.08.2023

• A free M12 female port
• A free RJ45 plug

Package content

• Adapter

Images

© 2024 by Delock. All names and symbols mentioned here are property of the respective producer.
Printing errors, changes and errors excepted.

www.delock.de
60061

2 / 3
15.08.2023

General

Specification:	Cat. 5e PROFINET

Interface

Connector 1:	1 x M12 male D-coded 4 pin
Connector 2:	1 x RJ45 jack

Technical characteristics

Operating temperature:	-25 °C ~ 85 °C

Physical characteristics

Housing material:	TPU
Pin finishing:	gold-plated
Length:	47 mm
Width:	19 mm
Height:	19 mm
Colour:	black