


Delock M12 Y-Splitter A-coded 4 pin 1 x female to 1 x male und 1 x female parallel connection

Description

This industrial Y-splitter by Delock can be used to connect various components with M12 connectors, e.g. for machine control or automation.



Item no. 60581

EAN: 4043619605811

Country of origin: China

Package: Zip poly bag

Technical details

- Connectors:
 - 1 x M12 A-coded 4 pin female
 - 1 x M12 A-coded 4 pin male + 1 x M12 A-coded 4 pin female
- Housing material: PVC
- Contacts gold-plated
- Operating voltage: max. 250 V
- Current: max. 4 A
- Operating temperature: -25 °C ~ 85 °C
- Protection class: IP67
- Thread size: M12 x 1.0 mm
- Colour: black
- Dimensions (LxWxH): ca. 45 x 44 x 14 mm


System requirements

- A free M12 female port
- Two free M12 male ports

Package content

- Y-splitter

Images



Interface

| | |
|--------------|--------------------------------|
| Connector 1: | 1 x M12 female |
| Connector 2: | 1 x M12 female 1 x M12 plug |

Technical characteristics

| | |
|----------------------|-------|
| Operating voltage: | 250 V |
| Current consumption: | 4 A |

Physical characteristics

| | |
|-------------------|-------|
| Housing material: | PVC |
| Length: | 45 mm |
| Width: | 44 mm |
| Height: | 14 mm |
| Colour: | black |
| Thread type: | M12 |