

Delock Prilagodnik USB 2.0 Tip-A > 1 x serijski DB9 RS-232 + prilagodnik DB25

Opis

Ovaj Delock prilagodnik omogućuje povezivanje serijskog uređaja putem USB Tip-A priključka.



1,8 m

Predmet br. 61308

EAN: 4043619613083

Zemlja podrijetla: China

Pakiranje: Retail Box

Tehnički podaci

- Priključak:
 - Kabel:
 - 1 x USB 2.0 Tip-A muški >
 - 1 x serijska muška RS-232 DB9
 - Adapter:
 - 1 x serijska ženski RS-232 DB9 >
 - 1 x serijska muška RS-232 DB25
- Skup čipova: FTDI
- Serijski priključak sa vijkom
- Brzina prijenosa podataka: više od 1 Mbps
- Duljina kabela: oko 1,8 m


Preduvjeti sustava

- Windows Vista/Vista-64/7/7-64/8.1/8.1-64/10/10-64
- Osobno ili prijenosno računalo sa slobodnim USB priključkom

Sadržaj pakiranja

- USB 2.0 na 1 x serijski adapter
- Adapter DB9 na DB25
- CD s upravljačkim programom
- Korisnički priručnik

Slike



General

| | |
|-----------------------------|---|
| Funkcija: | Plug & Play |
| Tehnički podaci: | RS-232 (EIA / TIA) USB 1.1 USB 2.0 |
| Supported operating system: | Linux Kernel 2.6 ili noviji Mac OS 10.9 ili noviji Windows 10 32-bit Windows 10 64-bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit Windows Server 2008 R2 Windows Server 2012 R2 Windows Server 2012 Windows Server 2016 |

Interface

| | |
|---------------|-------------------------------|
| Priključak 1: | 1 x USB 2.0 Tipa-A muški |
| Priključak 2: | 1 x serijska muška RS-232 DB9 |

Technical characteristics

| | |
|----------------------------|--|
| Skup čipova: | FTDI FT232RL |
| Brzina prijenosa podataka: | up to 921.6 Kbps |
| FIFO: | 128 byte 256 Byte |
| Signal transmission: | TxD, RxD, RTS, CTS, DTR, DSR, DCD, RI, GND |
| Data transmission: | asynchronous full duplex |
| Current consumption: | 20 mA |
| UART: | USB to serial UART |

Physical characteristics

| | |
|-------------------------------|---------------|
| Boja kabela: | transparentna |
| Cable length incl. connector: | 1,8 m |
| Površinska zaštita kontakata: | pozlaćeni |
| Vrsta vijka: | #4-40 UNC |
| Shielding: | double |
| Boja: | crne |