

# Delock Adaptor USB 2.0 Tip-A > 1 x interfață serială DB9 RS-232

## Descriere scurta

Acest adaptor de la Delock permite conectarea unui dispozitiv cu interfață serială prin intermediul unui port USB Tip-A.



0,8 m

**Nr. 61425**

EAN: 4043619614257

Țara de origine: China

Pachet: Retail Box

## Detalii tehnice

- Conectori:
  - 1 x USB 2.0 Tip-A tată >
  - 1 x RS-232 seriale DB9 tată, cu șuruburi
- Chipset: FTDI
- Rată de transfer a datelor de până la 460,8 Kbps
- Lungime cablu, inclusiv coneciores: cca 0,8 m



## Cerinte de sistem

- Linux Kernel 2.4 sau superior
- Mac OS 10.5 sau superior
- Windows Server 2008/Server 2008-64
- Windows Vista/Vista-64/7/7-64/8.1/8.1-64/10/10-64/11
- PC sau laptop cu un port USB Tip-A liber

## Pachetul contine

- USB 2.0 la 1 x seriale adaptoare
- Cablu de extensie USB 2.0
- CD cu drivere
- Manual de utilizare

## Imagini



## General

Function:	Plug & Play
Specification:	RS-232 (EIA / TIA) USB 1.1 USB 2.0
Supported operating system:	Linux Kernel 2.6 sau superior Mac OS 10.9 sau superior Windows 10 32-bit Windows 10 64-bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit Windows Server 2008 R2 Windows Server 2012 R2 Windows Server 2012 Windows Server 2016

## Interface

Conector 1:	1 x USB 2.0 Tip-A tată
Conector 2:	1 x RS-232 seriale DB9, tată

## Technical characteristics

Chipset:	FTDI FT232RL
FIFO:	128 byte 256 Byte
Signal transmission:	TxD, RxD, RTS, CTS, DTR, DSR, DCD, RI, GND
Data transmission:	asynchronous full duplex
Current consumption:	20 mA

## Physical characteristics

Cable colour:	transparentă
---------------	--------------

Cable length:	80 cm
Cable length incl. connector:	87 cm
Pin finishing:	placat cu aur
Tipul șurubului:	#4-40 UNC
Shielding:	double
Colour:	negru