

# Delock Adapter USB Type-C™ male > VGA female (DP Alt Mode)

## Description

This Delock adapter is suitable for the connection of a VGA monitor to a computer with USB-C™ interface and DisplayPort alternate mode support. In addition, the adapter can also operate on a Thunderbolt™ 3 interface.



ca. 27,5 cm

**Item no. 62726**

EAN: 4043619627264

Country of origin: China

Package: Retail Box

## Technical details

- Connector: USB Type-C™ male > VGA 15 pin female
- Chipset: ST + Parade PS8617
- VGA port with screw nuts
- DisplayPort 1.1a specification
- Resolution up to WUXGA 1920 x 1200 @ 60 Hz  
(depending on the system and the connected hardware)
- Transfer of digital video signals
- USB bus powered
- Plug & Play
- Gold-plated connector
- 1 x ferrite core
- Cable length without connector: ca. 20 cm
- Colour: black

## System requirements

- Windows 7/7-64/8.1/8.1-64/10/10-64, Windows 10 Mobile

- PC or laptop with a free USB Type-C™ port and DisplayPort alternate mode or
- PC or laptop with a free Thunderbolt™ 3 port

---

## Package content

- USB-C™ to VGA Adapter

---

## Images



## General

Function:	Plug & Play
Specification:	DisplayPort 1.1a
Supported operating system:	Mac OS 10.9 or above Windows 10 32-Bit Windows 10 64-Bit Windows 10 Mobile Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit

## Interface

Output:	1 x VGA 15 pin female
Input:	1 x USB Type-C™ male

## Technical characteristics

Chipset:	Parade PS8617
Maximum screen resolution:	1920 x 1200 @ 60 Hz
Signal transmission:	video

## Physical characteristics

Ferrite core:	1 x
Cable length:	20 cm
Connector finishing:	gold-plated
Colour:	black