

Delock USB Type-C™ adapter for a VGA, DVI, HDMI or DisplayPort monitor

Description

This adapter by Delock is a perfect companion when travelling or for presentations due to its four different video ports. AVGA, DVI, HDMI or DisplayPort monitor can be connected to a computer with USB-CTM interface and DisplayPort alternate mode support. In addition, the adapter can also be operated on a ThunderboltTM 3 interface. Only one monitor can be used on the adapter.



Item no. 63129

EAN: 4043619631292 Country of origin: China Package: Retail Box

Technical details

- Connectors:
 - 1 x USB Type-CTM male >
 - 1 x VGA female
 - 1 x DVI 24+5 female
 - 1 x HDMI female
 - 1 x DisplayPort 20 pin female
- DisplayPort 1.2 and High Speed HDMI specification
- DVI-D (Single Link), VGA not wired
- Only 1 monitor usable with the adapter
- Resolution:

DisplayPort and HDMI up to 3840 x 2160 @ 60 Hz

DVI up to 1920 x 1200 @ 60 Hz

VGA up to 1920 x 1080 @ 60 Hz

(depending on the system and the connected hardware)

- Power consumption: max. 1 W
- Cable length without connectors: ca. 10 cm
- · Colour: black



System requirements

- Android 10.0 or above
- Chrome OS
- iPad Pro (3rd Generation) or above
- Linux Kernel 5.8.0 or above
- Mac OS 10.15.7 or above
- Windows 8.1/8.1-64/10/10-64
- PC or laptop with a free USB Type-C™ port and DisplayPort alternate mode or
- PC or laptop with a free Thunderbolt™ 3 port

Package content

Adapter USB-C™ to VGA / HDMI / DVI / DisplayPort

Images







General

Supported operating system: Chrome OS

Linux Kernel 5.8.0 or above Mac OS 10.15.7 or above

Windows 10 32-Bit
Windows 10 64-Bit
Windows 10 Mobile
Windows 8.1 32-Bit
Windows 8.1 64-Bit
iPad Pro (2018)
Android 10.0 or above

Interface

Output:

1 x DVI-I 24+5 female
1 x DisplayPort female
1 x HDMI-A female
1 x VGA 15 pin female

Input:

1 x USB Type-CTM male

Technical characteristics

Maximum screen resolution: 3840 x 2160 @ 60 Hz

1920 x 1200 @ 60 Hz 1920 x 1080 @ 60 Hz

Physical characteristics

Colour: black