


# Delock Adapter M.2 Key M to SFF-8643 NVMe 22110 / 2280 / 2260

## Description

This Delock adapter enables the connection of a NVMe memory e.g. U.2 SSD via the SFF-8643 interface to a M.2 slot. Through the predetermined breaking point, the length can be shortened from **110 mm to 80 mm or 60 mm**.



**Item no. 63145**

EAN: 4043619631452

Country of origin: China

Package: Retail Box

## Technical details

- Connectors:
  - 1 x 67 pin M.2 Key M male
  - 1 x 36 pin SFF-8643 female
- Interface: PCIe
- Form factor: M.2 22110 (2280 / 2260)
- Suitable for M.2 slot with key M based on PCIe
- Compatible to PCI Express V4.0
- Data transfer rate up to 64 Gbps
- Supports NVM Express (NVMe)
- Bootable, ex UEFI version 2.3.1

## System requirements

- Linux Kernel 4.6.4 or above
- Windows 8.1/8.1-64/10/10-64/11
- A free M.2 interface with key M


---

## Package content

- Adapter M.2 to SFF-8643
- User manual

---

## Images



## General

Form factor:	M.2 2260 M.2 22110 M.2 2280
Supported operating system:	Linux Kernel 4.6.4 or above Windows 10 32-Bit Windows 10 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit
Slot:	PCIe

## Interface

Connector 1:	1 x 67 pin M.2 Key M male
Connector 2:	1 x 36 pin SFF-8643 female