

# Delock Adaptor USB 2.0 Tip-A > 2 x interfață serială DB9 RS-232

## Descriere scurta

Acest adaptor USB Tip-A la serial de la Delock oferă două interfețe DB9 RS-232 pentru imprimante, instrumente de măsură, controale, dispozitive IoT etc.



1,5 m

**Nr. 63466**

EAN: 4043619634668

Țara de origine: China

Pachet: Retail Box

## Detalii tehnice

- Conectori:
  - 1 x USB 2.0 Tip-A, tată >
  - 2 x RS-232 seriale DB9, tată
- Chipset: FTDI FT232
- Rată de transfer a datelor de până la 921,6 Kbps
- Acceptă: UHCI / OHCI / EHCI
- Conector serial cu șurub
- Acceptă avertizarea de la distanță și gestionarea alimentării
- Lungime cablu, inclusiv coneciores: cca 1,5 m


## Cerinte de sistem

- Windows 7/7-64/8.1/8.1-64/10/10-64/11, Linux ex Kernel 2.6.x, Mac ex OS 10.9
- PC sau laptop cu un port USB Tip-A liber

## Pachetul contine

- USB 2.0 la 2 x seriale adaptoare
- CD cu drivere
- Manual de utilizare

## Imagini



## General

Function:	Plug & Play Remote Wake-Up
Specification:	RS-232 (EIA / TIA) USB 2.0
Supported operating system:	Linux Kernel 2.6 sau superior Mac OS 10.9 sau superior Windows 10 32-bit Windows 10 64-bit Windows 7 32-Bit Windows 7 64-Bit Windows 8 32-bit Windows 8 64-bit Windows 8.1 32-Bit Windows 8.1 64-Bit
Indicator cu LED:	power and activity

## Interface

Conector 1:	1 x USB 2.0 Tip-A tată
Conector 2:	2 x RS-232 seriale DB9, tată

## Technical characteristics

Chipset:	FTDI FT232RL
Data transfer rate:	1 Mbps
FIFO:	2 x 256 Byte receive 2 x 128 byte transmit
Data transmission:	asynchronous full duplex

## Physical characteristics

Connector color:	galben verde
Material carcasă:	Plastic

Cable type:	USB AWM Style 2725
Cable colour:	negru
Cable length incl. connector:	1,5 m
Conductor gauge:	26 AWG data line 24 AWG power line
Tipul șurubului:	#4-40 UNC