

Delock Convertitore USB Type-C™ a 22 pin SATA 6 Gb/s

Descrizione

Questo convertitore Delock può essere collegato via interfaccia USB-C™ a un PC o laptop. Pertanto può essere utilizzato un SATA HDD o SSD da 2.5" con interfaccia SATA a 22 pin.



50 cm

Articolo n. 63803

EAN: 4043619638031

Paese di origine: China

Pacchetto: Retail Box

Dettagli tecnici

- Connettori:
 - 1 x USB 10 Gbps USB Type-C™ maschio
 - 1 x SATA 6 Gb/s a 22 pin femmina
- Chipset: Asmedia ASM235CM
- Adatto per HDD / SSD SATA da 2.5"
- Supporto SATA 1,5 Gb/s, SATA 3 Gb/s e SATA 6 Gb/s
- Velocità di trasferimento dati fino a 6 Gb/s
- Sezione dei cavi: 32 AWG
- Plug & Play
- Lunghezza con connettori: ca. 50 cm

Requisiti di sistema

- Chrome OS
- iPad Air (4° generazione) o superiore
- Linux Kernel 5.8 o superiore
- Mac OS 10.15.7 o superiore

- Windows 8.1/8.1-64/10/10-64/11
- PC o laptop con porta USB Type-C™ libera

Contenuto della confezione

- Convertitore USB Type-C™ - SATA 6 Gb/s

Immagini



General

Function:	Plug & Play
Suitable for data medium:	2.5" SSD o HDD
Supported operating system:	Chrome OS Linux Kernel 5.8.0 or above Mac OS 10.15.7 or above Windows 10 32-bit Windows 10 64-bit Windows 8.1 32-Bit Windows 8.1 64-Bit iPad Air (4th Generation) or above

Interface

Connettore 1:	1 x USB 10 Gbps USB Type-C™ maschio
Connettore 2:	1 x SATA 6 Gb/s a 22 pin femmina

Technical characteristics

Chipset:	Asmedia ASM235CM
----------	------------------

Physical characteristics

Cable length incl. connector:	50 cm
Conductor gauge:	32 AWG