

# Delock Adapter USB Type-C<sup>™</sup> male > VGA female (DP Alt Mode)

#### Description

This Delock adapter is suitable for the connection of a VGA monitor to a computer with USB-C<sup>TM</sup> interface and DisplayPort alternate mode support. Thus, the adapter can be connected to different laptops like MacBook, Chromebook and similar. In addition, the adapter can also be operated on a Thunderbolt<sup>TM</sup> 3 interface.



#### Item no. 63923

EAN: 4043619639236 Country of origin: China Package: Retail Box

#### **Technical details**

- Connectors:
  1 x USB Type-C<sup>™</sup> male >
  1 x VGA 15 pin female
- Chipset: Chrontel CH7212
- DisplayPort 1.3 specification
- Signal direction: USB Type-C<sup>™</sup> input > VGA output
- Resolution up to WUXGA 1920 x 1200 @ 60 Hz (depending on the system and the connected hardware)
- Transfer of analogue video signals
- USB bus powered
- Plug & Play
- Plastic housing with inner metal shell
- Cable length without connectors: ca. 8 cm
- Colour: black

## System requirements

#### **DATASHEET**



- Android 6.0 or above
- Chrome OS
- iPad Pro (2018)
- Mac OS 10.9.5 or above
- Windows 7/7-64/8.1/8.1-64/10/10-64
- Windows 10 Mobile
- Computer, tablet or smartphone with a free USB Type-C<sup>™</sup> port and Displayport alternate mode or
- PC or laptop with a free Thunderbolt<sup>™</sup> 3 port

#### Package content

• USB-C™ to VGA adapter

#### Images



**DATASHEET** 



#### General

Function:	Plug & Play
Specification:	DisplayPort 1.3
Supported operating system:	Android 6.0 or above Chrome OS Mac OS 10.9.5 or above Windows 10 32-Bit Windows 10 64-Bit Windows 10 Mobile Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit iPad Pro (2018)

### Interface

Output:	1 x VGA 15 pin female
Input:	1 x USB Type-C™ male

## **Technical characteristics**

Chipset:	Chrontel CH7212
Maximum screen resolution:	1920 x 1200 @ 60 Hz
Signal transmission:	video

## **Physical characteristics**

Cable length:	8 cm
Connector finishing:	nickel-plated
Colour:	black