

# Delock 3.5" USB 5 Gbps Front Panel 2 x USB Type-C™ + 2 x USB Type-A

## Description

This hub by Delock can be installed into a 3.5" bay of the PC. It will be connected internally via a USB pin header male on the motherboard. It has two USB Type-A and two USB Type-C™ ports.



**Item no. 64155**

EAN: 4043619641550

Country of origin: China

Package: Retail Box

## Technical details

- Connectors:
  - external:
    - 2 x USB 5 Gbps USB Type-C™ female
    - 2 x USB 5 Gbps Type-A female
  - internal:
    - 1 x 19 pin USB 5 Gbps pin header female port on the cable
    - 1 x 4 pin power connector
- Chipset: VIA VL822
- Data transfer rate up to 5 Gbps
- Cable data:
  - 1 x 19 pin USB pin header female cable, length ca. 54 cm (without connectors)
  - 1 x power cable 4 pin female to 1 x SATA 15 pin plug, length ca. 17 cm (without connectors)
- 3.5" metal frame
- Colour: black
- Hot Swap, Plug & Play

## System requirements

- Linux Kernel 3.3 or above
- Windows 8.1/8.1-64/10/10-64/11
- PC with one free 3.5" bay
- Motherboard with a free 19 pin USB pin header male
- Power supply with SATA 15 pin receptacle

---

## Package content

- 3.5" Hub
- USB cable
- Power cable
- Screws
- User manual

---

## Images



## General

Form factor:	3.5"
Function:	Hot Swap Plug & Play
Supported operating system:	Linux Kernel 3.3 or above Windows 10 64-Bit Windows 8.1 64-Bit Windows 11

## Interface

External:	2 x USB 5 Gbps USB Type-C™ female 2 x USB 5 Gbps Type-A female
Internal:	1 x 4 pin power connector 1 x 19 pin USB 5 Gbps pin header female port on the cable

## Technical characteristics

Chipset:	VIA VL822
Data transfer rate:	5 Gbps

## Physical characteristics

Housing material:	metal
Length:	102 mm
Width:	95 mm
Height:	26 mm
Colour:	black